

DECORATIVE LIGHTING

Let's humanize the light




Zambelis
LIGHTS

ZAMBELIS FAMILY GROWING



Connect to our B2B platform and...
have all the information you need 24/7...


-  B2B Online Order/Open Orders
-  Product Availability & Arrival Dates
-  Big Range of Products
-  Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  Photometric Files
-  CE Certificates
-  COC Certificates



Constantly raising network
in over of 59 countries

we make
it easy

Virtual Light - ZambelisLights App




4 steps choose the right Lamp for your place



-  Download the Virtual Light App
 
- Chose from the categories the lamp you like
- See it through your mobile camera
- Enjoy your new Home Life!

INDEX

- 01. DECO | p.016-133
- 02. ACOUSTIC & LINEAR | p.134-155
- 03. MINERAL TEXTURES | p.156-189
- 04. CIRCLE | p.190-217
- 05. CRYSTAL | p.218-229
- 06. GLASS | p.230-335
- 07. CEILING | p.336-377
- 08. WALL | p.378-409
- 09. BAMBOO & RATTAN | p.410-449
- 10. METAL & WOOD | p.450-481
- 11. FLOOR & TABLE | p.482-519
- 12. FANS | p.520-553
- 13. HOTEL | p.554-599
- 14. BATHROOM | p.600-615





23051 p.18 23251 p.20 22237 p.22 23095 p.24 23100 p.27 23029 p.32 23028 p.34



23065 p.36 23053 p.40 23073 p.44 23074 p.46 23170 p.50 23169 p.54 23084 p.57




23023 p.58 23079 p.60 23082 p.64 23162 p.66 23163 p.70 23020 p.72 23108 p.78



19254 p.80 23199 p.82 23200 p.84 23203 p.86 20128 p.88 22063 p.90 22064 p.92



20130 p.95 1948 p.96 22010 p.98 22022 p.100 18138 p.106 23227 p.108 23230 p.110



22182 p.112 22177 p.112 22229 p.114 20120 p.116 20121 p.118 20143 p.124 2070 p.126



1933 p.131 2035 p.133 23172 p.136 23173 p.138 23174 p.140 23233 p.142 23176 p.144



23253 p.146 23254 p.148 22208 p.152 22222 p.154 23240 p.158 23237 p.160 23255 p.166




23241 p.168 22111 p.170 22113 p.170 22215 p.174 20352 p.176 18153-S p.177 22221 p.178



22216 p.180 1663 p.182 1655 p.184 1659 p.186 22241 p.194 1956-D p.198 2007 p.200



22011 p.202 23033 p.204 22012 p.208 1618 p.210 2045 p.212 180031-D p.214 180030-D p.215



180055 p.216 180054 p.216 23045 p.220 23047 p.222 23050 p.222 22041 p.224 22039 p.226

DECORATIVE LIGHTING



18132-BR p.228



23009 p.232



23010 p.234



23012 p.236



23217 p.240



23216 p.242




23231 p.244



22137 p.250



22108 p.254



22234 p.256



22250 p.258



22247 p.259



22232-W p.260



22233-W p.260



20132 p.262



20131 p.263



20133 p.264



20134 p.264



20135 p.264




2001 p.266



2003 p.270



2004 p.270



22062 p.272



22061 p.272



20255 p.274



20137 p.276



22056 p.278



22057 p.279



22148 p.280



22051 p.284



22052 p.284




22145 p.287




1997 p.288



1995 p.290



23135 p.292



23137 p.292



22070 p.294



22151 p.296



22150 p.297



23015 p.298



20125 p.299



22079 p.300



22152 p.302



22203 p.304



22204 p.304




22205 p.304



22219 p.306



22267 p.307



22201 p.308



22200 p.308



22060 p.310



22059 p.310



22055 p.312



22054 p.312



1987 p.314



19241 p.316



19175 p.318



19125 p.318



22033 p.320



1966 p.322



1970 p.323



1968 p.324



1971 p.325



22073 p.326



22001 p.328



22142 p.330



22144 p.330



19177 p.332



16106 p.333



1517 p.334



22117 p.336



22118 p.336



14101 p.338



20126 p.339



23042 p.342



23024 p.344



23099 p.346



23087 p.348



23093 p.350



23209 p.352



23257 p.354



22018 p.356



2057 p.358



20159 p.360

						
18148-W p.362	22020 p.364	2222 p.366	2204 p.368	2206 p.368	2080 p.370	2030 p.372
				 NEW	 NEW	 NEW
2064 p.373	2075 p.374	22128 p.376	22014 p.378	23225 p.380	23226 p.380	23107 p.384
 NEW	 NEW					
23104 p.386	23103 p.388	20114 p.390	20117 p.390	20339 p.392	1946 p.395	19117 p.396
	 NEW		 NEW			
1910 p.397	23076 p.398	1959 p.400	23041 p.402	18135 p.403	22047 p.404	20350 p.406
					 NEW	 NEW
16155 p.408	17024-W p.409	20348-S p.410	19231 p.411	19218 p.412	23195 p.416	23197 p.418
 NEW	 NEW	 NEW				
23071 p.420	23070 p.420	23196 p.422	20237 p.424	22163 p.426	22161 p.428	22168 p.430

						
22171 p.432	22173 p.433	22174 p.434	19251 p.436	19253 p.436	19106 p.438	19104 p.438
						
22172 p.440	20155 p.441	20239 p.442	19103 p.444	20236 p.446	20154 p.447	18181 p.448
						
20152 p.450	20234 p.451	20354 p.452	22198 p.456	22213 p.458	22189 p.458	22227 p.460
						
22194 p.462	22226 p.463	22178 p.464	1511-W p.466	19245 p.468	1545 p.470	1975 p.472
						
1644 p.473	1495 p.474	1548 p.475	22241 p.476	19150 p.477	1992 p.478	1993-B p.478
					 NEW	
180085 p.480	18191 p.482	180065 p.484	180066 p.484	180067 p.484	23006 p.488	20211 p.490



DECORATIVE LIGHTING

 23060 p.492	 23064 p.492	 23054 p.494	 22066 p.496	 23085 p.497	 23037 p.499	 20109 p.500
 18179 p.502	 22136 p.503	 22053 p.504	 22038 p.505	 20118 p.506	 22065 p.508	 22030 p.510
 20222 p.512	 20214 p.513	 20217 p.514	 E153 p.516	 E153 p.517	 20252 p.518	 20253 p.519
 20220 p.520	 20238 p.522	 20235 p.523	 23004 p.526	 23002 p.528	 19143 p.530	 23001 p.532
 19139 p.534	 22083 p.536	 20257 p.538	 20258 p.540	 19136-B p.542	 20259 p.544	 20256 p.546
 19144 p.548	 19140 p.550	 19133 p.552	 19131 p.554	 19138 p.556	 23039 p.560	 22176 p.562



 22050 p.564	 H72 p.565	 H41 p.566	 H80 p.567	 20122 p.568	 17009 p.569	 H74 p.570
 H54 p.571	 22129 p.572	 22045 p.574	 H64 p.578	 23038 p.579	 H47 p.580	 H63 p.581
 H65 p.582	 H69 p.584	 H43 p.585	 H59 p.586	 H73 p.588	 H71 p.589	 H35 p.590
 H61 p.591	 H58 p.592	 20167 p.592	 1902 p.594	 22214 p.595	 20355 p.596	 H30 p.598
 20344-L p.600	 22028 p.602	 S107 p.603	 22069 p.606	 22068 p.607	 22125 p.608	 180041 p.610
 20146 p.612	 22088 p.614	 20149 p.616	 20150 p.617	 22087 p.618		

DECO | p.016-133






Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1445Lm
Cri 90
Dimensions L: 110cm W: 1.5cm H: 80cm
Base Ø: 21cm H: 5cm
Dimmable Triac ☐
Material Aluminium - Silicon
Special Feature 150cm Cable Adjustable
Lighting Tube Ø: 1.5cm
Color Black Matt / **Code 23052**




Power 46W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3137Lm
Cri 90
Dimensions Ø: 160cm H: 80cm
Base Ø: 30cm H: 5cm
Dimmable Triac ☐
Material Aluminium - Silicon
Special Feature 150cm Cable Adjustable
Lighting Tube Ø: 1.5cm
Color Black Matt / **Code 23051**






Power 2x 7W + 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3290Lm
Cri 90
Dimensions L: 150cm W: 7cm H: 30cm
Base L: 35cm W: 3.4cm H: 7.5cm
Stick Ø: 3cm H: 16cm
Non Dimmable ☒
Material Aluminium - Marble
Special Feature 200cm Cable Adjustable
Up & Down Light
Profile Ø: 2.4cm
Rotatable Light Tube
Color Sandy Black / **Code 23251** 






Top View



- Power 64W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 5760Lm
- Cri 90
- Dimensions L: 180cm W: 67.5cm H: 45cm
- Base Ø: 26cm H: 3cm
- Non Dimmable ☒
- Material Aluminium - Acrylic
- Special Feature 200cm Cable Adjustable
Profile Ø: 2.4cm
- Color Sandy Black / **Code 22237**







Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1318Lm
Cri 80
Dimensions Ø: 60cm H: 65cm
Base Ø: 10cm H: 3cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Profile L: 2.5cm H: 1.5cm

Color Black Matt - Gold Matt Ring / **Code 23094**
Color Gold Matt - Black Matt Ring / **Code 23095**







Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1418Lm
Cri 80
Dimensions L: 60cm W: 64cm H: 6cm
Base Ø: 12cm H: 6cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature Profile L: 1.5cm H: 2cm
Color Black Matt - Gold Matt Ring / **Code 23096**
Color Gold Matt - Black Matt Ring / **Code 23098**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 765Lm
Cri 80
Dimensions L: 12.3cm W: 3cm H: 48cm
Base Ø: 10cm H: 3.2cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Profile L: 1.5cm H: 2cm
Color Black Matt - Gold Matt Ring / **Code 23100**
Color Gold Matt - Black Matt Ring / **Code 23101**



Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 765Lm
Cri 80
Dimensions L: 6cm W: 12.3cm H: 48.2cm
Base Ø: 12.3cm L: 6cm
Dimmable Triac ☒
Material Aluminium - Silicon
Special Feature Profile L: 2cm H: 1.5cm
Color Black Matt - Gold Matt Ring / **Code 23102**
Color Gold Matt - Black Matt Ring / **Code 23103**




Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 621Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 40cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile L: 1.5cm H: 1.5cm
Color Gold Matt - Black Matt / **Code 23106**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 710Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 60cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile L: 1.5cm H: 1.5cm
Color Gold Matt - Black Matt / **Code 23107**






Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1650Lm
Cri 80
Dimensions L: 105cm W: 18cm H: 200cm
Glass Ø: 18cm H: 8cm
Base L: 105cm W: 6.5cm H: 3.5cm
Dimmable Triac ☐
Material Aluminium - Clear Glass
Special Feature 170cm Cable Adjustable
Color Gold Matt / **Code 23029**






Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1650Lm
Cri 80
Dimensions L: 105cm W: 18cm H: 200cm
Glass Ø: 18cm H: 8cm
Base L: 105cm W: 6.5cm H: 3.5cm
Dimmable Triac ☐
Material Aluminium - Clear Glass
Special Feature 170cm Cable Adjustable
Color Gold Matt / **Code 23029**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 563Lm
Cri 80
Dimensions Ø: 32cm W: 18cm
Glass Ø: 18cm H: 8cm
Base Ø: 13cm H: 3.5cm
Dimmable Triac ☐
Material Aluminium - Clear Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 23028**






Power 37W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2211Lm
Cri 80
Dimensions L: 120cm W: 12cm H: 155cm
Base Ø: 16cm H: 4cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt - Champagne Glass / **Code 23065**
Color Black Matt - Smoked Glass / **Code 23066**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
Dimensions Ø: 12cm H: 41.5cm
Base Ø: 16cm H: 4cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 150cm Cable Adjustable
Color Gold Matt - Champagne Glass / **Code 23062**
Color Black Matt - Smoked Glass / **Code 23269**







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 80
Dimensions Ø: 13cm H: 35cm
Base Ø: 13cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 120cm Cable Available
Color Gold Matt - Champagne Glass / **Code 23060**
Color Black Matt - Smoked Glass / **Code 23061**




Power 17W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1050Lm
Cri 80
Dimensions Ø: 12cm H: 152cm
Base Ø: 22cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 120cm Cable Available
Color Gold Matt - Champagne Glass / **Code 23063**
Color Black Matt - Smoked Glass / **Code 23064**



DECORATIVE LIGHTING | DECO




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 52cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade
Color Black Matt / **Code 23054**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 13cm
Base Ø: 14cm H: 3cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 23053**






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 162cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1.5cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade
Color Black Matt / **Code 23055**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 781Lm
Cri 80
Dimensions Ø: 28cm W: 5cm
Base Ø: 13cm H: 2.5cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Black Matt - Smoked Glass / **Code 23072**
Color Black Matt - Clear Glass / **Code 23073**






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1172Lm
Cri 80
Dimensions Ø: 35cm W: 5cm
Base Ø: 13cm H: 2.5cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Black Matt - Smoked Glass / **Code 23074**
Color Black Matt - Clear Glass / **Code 23075**







Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 781Lm
Cri 80
Dimensions Ø: 28cm L: 6.5cm
Base Ø: 13cm
Non Dimmable 
Material Metal - Glass
Color Black Matt - Smoked Glass / **Code 23076**
Color Black Matt - Clear Glass / **Code 23077**






Power	35W
Input	220-240V, 50/60Hz
Color Temperature	3000K , 4000K
Lumen	3412Lm
Cri	80
Dimensions	L: 101cm W: 5cm H: 48.5cm
Base	Ø: 7cm H: 14cm
Dimmable Triac	☉
Material	Aluminium - Glass
Special Feature	150cm Cable Adjustable Profile 5cm x 1.6cm
Color	Black Matt - Light Grey Glass / Code 23170
Color	Gold Matt - Champagne Glass / Code 23171





Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K , 4000K
Lumen 1715Lm
Cri 80
Dimensions L: 32cm W: 5cm H: 40.5cm
Base Ø: 7cm H: 14cm
Dimmable Triac 
Material Aluminium - Glass
Special Feature 170cm Cable Adjustable
Profile 5cm x 1.6cm


Color Black Matt - Light Grey Glass / **Code 23166**
Color Gold Matt - Champagne Glass / **Code 23167**



Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K , 4000K
Lumen 2235Lm
Cri 80
Dimensions L: 40cm W: 5cm H: 49cm
Base Ø: 7cm H: 14cm
Dimmable Triac 
Material Aluminium - Glass
Special Feature 170cm Cable Adjustable
Profile 5cm x 1.6cm


Color Black Matt - Light Grey Glass / **Code 23164**
Color Gold Matt - Champagne Glass / **Code 23165**






Power	54W
Input	220-240V, 50/60Hz
Color Temperature	3000K , 4000K
Lumen	4312Lm
Cri	80
Dimensions	L: 66cm W: 67cm H: 230cm
Base	Ø: 18cm H: 3.5cm
Dimmable Triac	○
Material	Aluminium - Glass
Special Feature	170cm Cable Adjustable Profile 5cm x 1.6cm
Color	Black Matt - Light Grey Glass / Code 23168
Color	Gold Matt - Champagne Glass / Code 23169






Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2461 Lm
Cri 80
Dimensions Ø: 32cm H: 53cm
Base Ø: 16cm H: 3cm
Non Dimmable ☒
Material Metal - Smoked Glass - Opal Glass
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 23084**




Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2461 Lm
Cri 80
Dimensions Ø: 32cm H: 53cm
Base Ø: 20cm H: 3cm
Non Dimmable ☒
Material Metal - Smoked Glass - Opal Glass
Special Feature 150cm Cable Available
Color Black Matt / **Code 23085**



DECORATIVE LIGHTING | DECO




Bulb 8x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 113cm W: 63cm H: 43-73-103cm
Glass Ø: 15cm
Base Ø: 12cm H: 2.5cm
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23023**




Bulb 2x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 21cm W: 15cm H: 37cm
Glass Ø: 15cm
Base Ø: 12cm L: 2.5cm
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23022**






- Power 6W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 639Lm
- Cri 80
- Dimensions Ø: 20cm H: 23
- Base Ø: 6.5cm H: 12cm
- Non Dimmable
- Material Metal - Glass
- Special Feature 200cm Cable Adjustable
- Color Black Matt - Smoked Glass / **Code 23078**
- Color Black Matt - Champagne Glass / **Code 23079**
- Color Black Matt - Clear Glass / **Code 23080**






Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1732Lm
Cri 80
Dimensions Ø: 44cm H: 200cm
Glass Ø: 20cm H: 23cm
Base Ø: 38cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 170cm Cable Adjustable
Color Black Matt - Smoked - Champagne - Clear Glass / **Code 23081**






Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2276Lm
Cri 80
Dimensions L: 105cm W: 20cm H: 200cm
Glass Ø: 20cm H: 23cm
Base L: 105cm W: 6.5cm H: 3.5cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 170cm Cable Adjustable
Color Black Matt - Smoked - Clear Glass / **Code 23082**






Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 60cm W: 49cm H: 38cm
Base Ø: 12cm H: 2.5cm
Material Metal - Fiberglass
Special Feature 200cm Cable Adjustable
Color Natural / **Code 23162**






Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 30cm W: 26cm H: 23cm
Base Ø: 12cm H: 2.5cm
Material Metal - Fiberglass
Special Feature 200cm Cable Adjustable
Color Natural / **Code 23160**



Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 40cm W: 36cm H: 31cm
Base Ø: 12cm H: 2.5cm
Material Metal - Fiberglass
Special Feature 200cm Cable Adjustable
Color Natural / **Code 23161**







Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 60cm
Base Ø: 12cm H: 2.5cm
Material Metal - Fiberglass
Special Feature 200cm Cable Adjustable
Color Natural / **Code 23163**




DECORATIVE LIGHTING | DECO




Power 29W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2880Lm
Cri 90
Dimensions L: 85cm W: 11cm H: 220cm
Glass Ø: 11cm H: 14.5cm
Base L: 85cm W: 5cm H: 3.5cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 23020**



Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4346Lm
Cri 90
Dimensions L: 72.5cm W: 68.5cm H: 65-95-125cm
Glass Ø: 11cm H: 11.5cm
Base Ø: 17cm H: 5cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23019**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 846Lm
Cri 90
Dimensions Ø: 11cm H: 22cm
Glass Ø: 11cm H: 20cm
Base Ø: 12cm H: 4cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 23018**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2214Lm
Cri 90
Dimensions Ø: 30cm H: 220cm
Glass Ø: 11cm H: 14.5cm
Base Ø: 30cm H: 3cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 23021**







Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1222Lm
Cri 90
Dimensions L: 17cm W: 11cm H: 40cm
Glass Ø: 11cm H: 14.5cm
Base Ø: 11.5cm L: 4.5cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23016**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 846Lm
Cri 90
Dimensions Ø: 11cm H: 15cm
Dimmable Triac 
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23017**






Power 27W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2233Lm
Cri 80
Dimensions L: 140cm W: 20cm H: 23cm
Base L: 12cm W: 7cm H: 3cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 23108**
Color Black Matt / **Code 23109**






Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3400Lm
Cri 80
Dimensions L: 120cm H: 40cm
Base Ø: 17cm H: 5cm
Non Dimmable ☒
Material Metal - Silicon
Special Feature 360° Lighting Tube Ø: 2.4cm
200cm Cable Adjustable
Color Gold Matt / **Code 19254**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 90
Dimensions Ø: 21cm H: 19.5cm
Base Ø: 11cm H: 3cm
Dimmable Triac 
Material Aluminium - Glass
Special Feature 200cm Cable Adjustable
Up-Down Lighting
Color Black Matt / **Code 23198**
Color Gold Matt / **Code 23199**






Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2450Lm
Cri	90
Dimensions	Ø: 70-100cm H:170cm
Base	Ø: 18cm H: 4cm
Shade	Ø: 21cm H: 19.5cm
Dimmable Triac	☉
Material	Aluminium - Glass
Special Feature	200cm Cable Adjustable Up-Down Lighting
Color	Black Matt / Code 23200
Color	Gold Matt / Code 23201





Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2450Lm
Cri	90
Dimensions	L: 120cm W: 21cm H:170cm
Base	L: 19cm W: 13cm H:3.5cm
Shade	Ø: 21cm H: 19.5cm
Dimmable Triac	☉
Material	Aluminium - Glass
Special Feature	200cm Cable Adjustable Up-Down Lighting
Color	Black Matt / Code 23202
Color	Gold Matt / Code 23203






Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3720Lm
Cri 80
Dimensions Ø: 55.5cm L: 122cm H: 205cm
Base Ø: 16cm H: 3.5cm
Dimmable Triac ○
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Step Dimming 10%-40%-100%
Profile Ø: 2cm


Color Black Matt / **Code 20128**






LED 14W
Bulb 7x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 950Lm
Cri 80
Dimensions L: 89cm W: 30cm H: 30cm
Base L: 50cm W: 6cm H: 3.5cm
Dimmable Triac 
Material Metal - Aluminium - Glass - Acrylic
Clear Glass Ø: 15cm | Ø: 12cm | Ø: 10cm | Ø: 8cm
Special Feature 140cm Cable Adjustable
Profile 2x1cm
Color Sandy Black / **Code 22063**






Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1920Lm
Cri 80
Dimensions Ø: 45cm
Base L: 20cm W: 6cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 60cm Cable Adjustable
Color Black Matt / **Code 1612**




Top View




LED 20W
Bulb 3x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1247Lm
Cri 80
Dimensions Ø: 40cm W: 22cm H: 40cm
Base Ø: 15cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Glass - Acrylic
Clear Glass Ø: 12cm | Ø: 10cm | Ø: 8cm
Special Feature 150cm Cable Adjustable
Profile 2x1cm
Color Sandy Black / **Code 22064**







Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 80+160cm H: 200cm
Base Ø: 16cm H: 3.5cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 180cm Cable Adjustable
Step Dimming 10%-40%-100%
Profile 2x 3cm

Color White Matt / **Code 20129**




Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 80+160cm H: 200cm
Base Ø: 16cm H: 3.5cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 180cm Cable Adjustable
Step Dimming 10%-40%-100%
Profile 2x 3cm

Color Black Matt / **Code 20130**




Power 47W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3740Lm
Cri 80
Dimensions Ø: 102cm H: 200cm
Base Ø: 22cm H: 4.1cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 1x3cm
Color Black Matt / **Code 1947**



Power 98W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4626Lm
Cri 80
Dimensions L: 163cm W: 44.5cm H: 200cm
Base L: 56cm W: 5cm H: 4cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 1x3cm
Color Black Matt / **Code 1948**






Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4300Lm
Cri 80
Dimensions L: 120cm W: 7cm H: 220cm
Base L: 42cm W: 7cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 22010**





DECORATIVE LIGHTING | DECO



Power 47W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4300Lm
Cri 90
Dimensions L: 119cm W: 5cm H: 35.5cm
Base L: 35cm W: 6,5cm H: 6cm
Dimmable Triac ☒
Material Metal - Aluminium - Silicon
Special Feature 120cm Cable Adjustable
Profile 3x1.2cm

Color Gold Matt - Sandy Black Base / **Code 22022**
Color Sandy Black / **Code 22023**





Power	50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3750Lm
Cri	90
Dimensions	L: 95cm W: 65cm H: 30cm
Base	L: 25cm W: 15cm H: 4.5cm
Dimmable Triac	○
Material	Metal - Aluminium - Silicon
Special Feature	Profile 3x 1.2cm
Color	Gold Matt - Sandy Black Base / Code 22026
Color	Sandy Black / Code 22027

Model Finishing




Sandy Black




Gold Matt






Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1725Lm
Cri	90
Dimensions	L: 50cm W: 50cm H: 30cm
Base	L: 18cm W: 12cm H: 4.5cm
Dimmable Triac	○
Material	Metal - Aluminium - Silicon
Special Feature	Profile 3x1.2cm
Color	Gold Matt - Sandy Black Base / Code 22024
Color	Sandy Black / Code 22025

Model Finishing




Sandy Black




Gold Matt






Power 3x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1590Lm
Cri 80
Dimensions L: 140cm W: 26cm H: 63cm
Base Ø: 8cm H: 3.5cm
Shade Ø: 26cm
Non Dimmable
Material Metal - Aluminium - Leather
Special Feature 100cm Cable Adjustable
Color Sandy Black / **Code 18138-B**





Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 840Lm
Cri 80
Dimensions Ø: 26cm H: 17cm
Base Ø: 8cm H: 3.5cm
Non Dimmable
Material Metal - Aluminium
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 18139-B**
Sandy White / **Code 18139-W**

DECORATIVE LIGHTING | DECO



Power	2x 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1605Lm
Cri	80
Dimensions	L: 120-180cm W: 40cm H: 90-130cm
Base	Ø: 8cm H: 3.5cm
Shade	Ø: 35cm H: 15cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	150cm Cable Adjustable
Color	Sandy Black / Code 23227
Color	Army Green / Code 23228






Power	3x 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2305Lm
Cri	80
Dimensions	Ø: 120-180cm L: 120-180cm H: 90-130cm
Base	Ø: 8cm H: 3.5cm
Shade	Ø: 35cm H: 15cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	150cm Cable Adjustable
Color	Sandy Black / Code 23229 
Color	Army Green / Code 23230 






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 840Lm
Cri 80
Dimensions Ø: 22.5cm H: 17cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Aluminum
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22182**
Color Sandy Black / **Code 22183**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 840Lm
Cri 80
Dimensions Ø: 7cm H: 16cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Aluminum
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22181**
Color Sandy Black / **Code 22177**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 840Lm
Cri 80
Dimensions Ø: 10.5cm H: 24cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Aluminum
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22180**
Color Sandy Black / **Code 22179**





Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1620Lm
Cri	90
Dimensions	L: 120cm W: 35cm H: 25cm
Base	L: 28cm W: 5cm H: 7.8cm
Non Dimmable	⊗
Material	Metal - Aluminium - Diffuser
Special Feature	200cm Cable Adjustable Profile Ø: 2.4cm
Color	Sandy Black - Painted Bronze / Code 22229






Power 19W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1620Lm
Cri 80
Dimensions Ø: 1.6cm L: 140cm H: 150cm
Base Ø: 5.5cm H: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 135cm Cable Adjustable
Profile Ø: 1.6cm

Color Black Matt / **Code 20119**
Color Gold Matt / **Code 20120**





Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions Ø: 1.6cm H: 80cm
Base Ø: 5.5cm H: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 20121**
Color Gold Matt / **Code 20122**


Design your Own Lighting

Create the ultimate style by combining the different colors and models available.
Available colors: Black Matt / Gold Matt

Shopping Guide

A Code 20119 - 20120


B Code 20121 - 20122





Our Suggestion


Become an artist and make your combination.
Use your imagination to create your masterpiece
with our limitless options.
Minimal design for luxury lighting

Tip Use gold or black color,
as well as different
elevations for a
grand effect.






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 838Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 60cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Movable Profile
Color Black Matt / **Code 20114**
Color Gold Matt / **Code 20115**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1506Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 100cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Movable Profile
Color Black Matt / **Code 20116**
Color Gold Matt / **Code 20117**






Power 19W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1620Lm
Cri 80
Dimensions Ø: 1.6cm H: 119cm H: 300cm
Base Ø: 5.5cm H: 12cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 170cm Cable Available
Color Black Matt / **Code 20184**





Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	520Lm
Cri	90
Dimensions	Ø: 1cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	☒
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / Code 20143
Color	Black Matt / Code 20142






Power 49W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3920Lm
Cri 80
Dimensions L: 90cm W: 50cm H: 90cm
Base Ø: 20cm H: 6cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature Profile Ø: 2cm L: 42cm
Movable Profile

Color Sandy Black - Gold Matt / **Code 2070**
Color Gold Matt / **Code 2071**







Power 69W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4812Lm
Cri 90
Dimensions L: 120cm W: 50cm H: 100cm
Base Ø: 20cm H: 6cm
Dimmable Triac ☒
Material Aluminium - Silicon
Special Feature Profile Ø: 2cm L: 42cm
Movable Profile

Color Sandy Black - Gold Matt / **Code 2072**
Color Gold Matt / **Code 2073**








Power 80W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3995Lm
Cri 80
Dimensions L: 60cm W: 40cm H: 110cm
Base Ø: 18cm H: 3.5cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 1931**
Sandy Black / **Code 1932**



Power 96W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4440Lm
Cri 80
Dimensions L: 80cm W: 60cm H: 122cm
Base Ø: 20cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 1933**




Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1271Lm
Cri 80
Dimensions L: 17.5cm W: 7.5cm H: 60cm
Base W: 7.5cm H: 20cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 1936**
Gold Matt / **Code 1935**





Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2240Lm
Cri 80
Dimensions L: 110cm H: 102cm
Base L: 24cm W: 6cm H: 3.5cm
Non Dimmable 
Material Metal - Aluminium - Acrylic
Special Feature Spot Ø: 7.5cm H: 8cm
Spot Ø: 9.5cm H: 4cm
Color Sandy Black - Gold Matt / **Code 2035**






Power 8W SMD
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 850Lm
Cri 90
Beam Angle 24°
Dimensions L: 55cm W: 55cm H: 15cm
Base L: 22.5cm W: 12cm H: 6cm
Dimmable Triac 
Material Metal - Acrylic - Acoustic Panel
Special Feature 200cm Cable Adjustable
Color Brown - Grey / **Code 23172**






Power 12W SMD
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 90
Beam Angle 24°
Dimensions Ø: 75cm H: 15cm
Base L: 22.5cm W: 12cm H: 6cm
Dimmable Triac
Material Metal - Acrylic - Acoustic Panel
Special Feature 200cm Cable Adjustable
Color Grey / **Code 23173**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 195Lm
Cri 90
Dimensions L: 7cm W: 30cm H: 40cm
Base Ø: 8cm L: 5.2cm
Non Dimmable 
Material Metal - Acoustic Panel
Color Brown - Black / **Code 23174**



Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 195Lm
Cri 90
Dimensions L: 7cm W: 23cm H: 24cm
Base Ø: 8cm L: 5.2cm
Non Dimmable 
Material Metal - Acoustic Panel
Color Grey - Black / **Code 23175**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 24cm L: 7cm
Non Dimmable ☒
Material Metal - Acrylic - Acoustic Panel
Color Blue Lagoon / **Code 23233**
Color Grey Volcano / **Code 23234**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 30cm L: 7cm
Non Dimmable ☒
Material Metal - Acrylic - Acoustic Panel
Color Blue Lagoon / **Code 23235**
Color Grey Volcano / **Code 23236**






Power 3x 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 115Lm
Cri 90
Dimensions L: 19cm W: 13cm H: 50cm
Base Ø: 5.5cm H: 13cm
Non Dimmable ☒
Material Metal - Acoustic Panel
Color Brown - Grey / **Code 23176**







Power	50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4608Lm
Cri	80
Dimensions	L: 140cm W: 3.4cm H:7.8cm
Base	Ø: 8cm H: 3.5cm
Beam Angle	45°
Non Dimmable	☒
Material	Aluminium
Special Feature	200cm Fabric Cable Adjustable Optional Dimming DALI
Color	Sandy Black / Code 23253 






Power 1x 7W + 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4546Lm
Cri 80
Dimensions L: 130cm W: 3.4cm H: 7.8cm
Base Ø: 8cm H: 3.5cm
Spot Beam Angle 36°
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI
Color Sandy Black / **Code 23254**






- Power 54W + 40W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 9300Lm
- Cri 80
- Dimensions L: 170cm W: 4.8cm H: 7.8cm
- Base Ø: 8cm H: 3.5cm
- Non Dimmable ☒
- Material Aluminium
- Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI
Up & Down Lighting
Optic Microprismatic Clear
- Color Sandy Black / **Code 23252**







Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6300Lm
Cri 80
Dimensions L: 142cm W: 4.8cm H: 7.8cm
Base Ø: 8cm H: 3.5cm
Non Dimmable ☒
Material Aluminium - PC Diffuser
Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI
Color Painted Bronze / **Code 22210**




Power 18W + 36W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7560Lm
Cri 80
Dimensions L: 142cm W: 4.8cm H: 7.8cm
Base Ø: 8cm H: 3.5cm
Non Dimmable ☒
Material Aluminium
Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI
Up & Down Lighting
Color Painted Bronze - Painted Gold / **Code 22208**
Corten - Sandy Black / **Code 22209**





Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6300Lm
Cri 80
Dimensions Ø: 5.3cm L: 141cm
Base Ø: 8cm H: 3.5cm
Non Dimmable ☒
Material Aluminium - PC Diffuser
Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI

Color Painted Bronze / **Code 22207**
Color Corten / **Code 22206**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5500Lm
Cri 90
Dimensions Ø: 5.3cm L: 141cm
Base Ø: 8cm H: 3.5cm
Non Dimmable ☒
Material Aluminium - ABS
Special Feature 200cm Fabric Cable Adjustable
Optional Dimming DALI


Color Painted Bronze - Sandy Black / **Code 22223**
Color Corten - Sandy Black / **Code 22222**








Bulb 1x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 16cm H: 25cm
Base Ø: 8cm H: 3.5cm
Shade Ø: 16cm H: 11cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Black Marble / **Code 23240** 




Bulb 1x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 14cm H: 33cm
Base Ø: 8cm H: 3.5cm
Shade Ø: 14cm H: 19cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Black Marble / **Code 23239** 






Bulb 1x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 16cm H: 25cm
Base Ø: 8cm H: 3.5cm
Shade Ø: 16cm H: 11cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23238** 




Bulb 1x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 14cm H: 33cm
Base Ø: 8cm H: 3.5cm
Shade Ø: 14cm H: 19cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23237** 





Bulb 3x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 110cm W: 16cm H: 140cm
Base Ø: 12cm H: 3cm
Shade Ø: 16cm H: 11cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23248**
Sandy Black - Brass - Black Marble / **Code 23247**




Bulb 3x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 140cm
Base Ø: 12cm H: 3cm
Shade Ø: 16cm H: 11cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23250**
Sandy Black - Brass - Black Marble / **Code 23249**






Bulb 3x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 140cm
Base Ø: 12cm H: 3cm
Shade Ø: 14cm H: 19cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23246**
Color Sandy Black - Brass - Black Marble / **Code 23245**



Bulb 3x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 110cm W: 14cm H: 140cm
Base Ø: 12cm H: 3cm
Shade Ø: 14cm H: 19cm
Material Brass - Gypsum - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23244**
Color Sandy Black - Brass - Black Marble / **Code 23243**





13
21

Bulb 1x G9
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm L: 13cm
Base Ø: 8cm H: 2.5cm
Shade Ø: 13cm H: 10cm
Material Metal - Gypsum
Color Sandy Black / **Code 23256** 
Color Army Green / **Code 23255** 






Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 25cm
Base Ø: 8cm H: 3.5cm
Glass Ø: 12cm
Material Brass - Opal Glass - Marble
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Brass - Green Marble / **Code 23242** 
Color Sandy Black - Brass - Black Marble / **Code 23241** 






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 465Lm
Cri 90
Dimensions Ø: 7cm H: 40cm
Base Ø: 10cm H: 2.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic - Marble
Special Feature 150cm Cable Adjustable
Color Sandy Black - White Marble / **Code 22110**
Color Gold Matt - White Marble / **Code 22111**




Top View




Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1712Lm
Cri 90
Dimensions Ø: 33cm H: 200cm
Base Ø: 33cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic - Marble
Special Feature 150cm Cable Adjustable
Stick Ø: 3cm H: 40cm
Color Sandy Black - White Marble / **Code 22113**







Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 90
Dimensions L: 75cm W: 6cm H: 200cm
Base L: 75cm W: 6cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic - Marble
Special Feature 150cm Cable Adjustable
Stick Ø: 3cm H: 40cm

Color Sandy Black - White Marble / **Code 22112**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 38cm
Base Ø: 8cm H: 3.5cm
Material Metal - White Marble - Opal Glass
Special Feature 220cm Fabric Cable Adjustable
Color Black Matt - Gold Matt / **Code 22215** 






Bulb
Power
Input
Dimensions
Material
Color

2x G9 LED
7W MAX / Bulb
220-240V, 50/60Hz
L: 6cm W: 23cm H: 30cm
Metal - Marble
White Marble / **Code 18153-S**



Bulb
Power
Input
Dimensions
Material
Color

2x G9 LED
7W MAX / Bulb
220-240V, 50/60Hz
L: 8cm W: 20cm H: 36cm
Metal - Marble
White Marble / **Code 18153-B**



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Dimensions	L: 11cm Ø: 16cm H: 20cm
Non Dimmable	☒
Material	Metal - Marble
Color	White Marble - Sandy Black / Code 18168
Color	White Marble - Corten / Code 22221


Model Finishing




White Marble
Sandy Black

White Marble
Corten






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color White Matt / **Code 22216** 




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color White Matt / **Code 22268** 




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color White Matt / **Code 22236** 






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color Natural / **Code 1664** 




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color Natural / **Code 1663** 




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 27cm
Base Ø: 8cm H: 3.5cm
Material Clay
Special Feature 120cm Fabric Cable Adjustable
Color Natural / **Code 1665** 






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 16cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1655**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 14.5cm H: 26cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1582**




Bulb 1x GU10
Power 35W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm H: 40cm
Base Ø: 12cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 180024**






Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1x E27
40W MAX
220-240V, 50/60Hz
Ø: 12cm H: 36cm
Ø: 10cm H: 2.5cm
Metal - Concrete
120cm Fabric Cable Adjustable
Concrete - Chrome Base / **Code 1660**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

3x E27
40W MAX
220-240V, 50/60Hz
Ø: 38cm H: 115cm
Ø: 38cm H: 2.5cm
Metal - Concrete
80cm Fabric Cable Adjustable
Concrete - Black Matt Base / **Code 1662**



Bulb
Power
Input
Dimensions
Base
Material
Color


1x E27
40W MAX
220-240V, 50/60Hz
L: 33cm W: 12cm H: 41cm
L: 2.5cm W: 10cm H: 30cm
Metal - Concrete
Concrete - Black Matt Base / **Code 1661**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

4x E27
40W MAX
220-240V, 50/60Hz
L: 105cm W: 12cm H: 100cm
L: 105cm W: 6.5cm H: 2.7cm
Metal - Concrete
70cm Fabric Cable Adjustable
Concrete - Black Matt Base / **Code 1659**







Bulb 2xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 7.5cm W: 7cm H: 16cm
Material Concrete
Color Concrete / **Code 180022**



Bulb 1xG9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
Material Concrete
Color Concrete / **Code 180023**



Bulb 1xG9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 13cm H: 15cm
Material Concrete
Color Concrete / **Code 180021**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 30cm H: 17cm
Material Concrete
Color Concrete / **Code 180020**




CIRCLE | p.190-217






Power	24W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1318Lm
Cri	80
Dimensions	Ø: 60cm H: 65cm
Base	Ø: 10cm H: 3cm
Dimmable Triac	○
Material	Aluminium - Silicon
Special Feature	200cm Cable Adjustable Profile L: 2.5cm H: 1.5cm
Color	Black Matt - Gold Matt Ring / Code 23094
Color	Gold Matt - Black Matt Ring / Code 23095






Power	83W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	6717Lm
Cri	80
Dimensions	Ø: 120cm H: 200cm
Base	Ø: 28cm H: 5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable
Color	Black Matt / Code 20264
Color	White Matt / Code 20265
Color	Gold Matt / Code 22241






Power 43W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3357Lm
Cri 80
Dimensions Ø: 60cm H: 200cm
Base Ø: 18cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 20260**
Color White Matt / **Code 20261**
Color Gold Matt / **Code 22239**



Power 57W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4398Lm
Cri 80
Dimensions Ø: 80cm H: 200cm
Base Ø: 25cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 20262**
Color White Matt / **Code 20263**
Color Gold Matt / **Code 22240**






Power 126W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7959Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
Base Ø: 25cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 1956**


Power 126W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7959Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
Base Ø: 25cm H: 5cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 1956-D**




DECORATIVE LIGHTING | CIRCLE




Power 34W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2280Lm
Cri 80
Dimensions Ø: 60cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm
Color Brushed Gold Matt / **Code 2006**




Power 53W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 80cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm
Color Brushed Gold Matt / **Code 2007**






Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2520Lm
Cri 80
Dimensions Ø: 60cm W: 65cm H: 200cm
Base L: 30cm W: 7cm H: 3,5cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 2.2x5.3cm
Color Sandy Black - Gold Matt / **Code 22011**






Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1959Lm
Cri	80
Dimensions	Ø: 60cm H: 207cm
Base	Ø: 13cm H: 3cm
Dimmable Triac	○
Material	Aluminium - Silicon
Special Feature	200cm Cable Adjustable Profile L: 2.5cm H: 4cm
Color	Gold Matt / Code 23032
Color	Black Matt / Code 23033


Model Finishing





Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3242Lm
Cri	80
Dimensions	Ø: 90cm H: 208cm
Base	Ø: 13cm H: 3cm
Dimmable Triac	○
Material	Aluminium - Silicon
Special Feature	200cm Cable Adjustable Profile L: 2.5cm H: 4cm
Color	Gold Matt / Code 23034
Color	Black Matt / Code 23035



Model Finishing



Gold Matt


Black Matt





Power 27W + 4x 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4992Lm
Cri 80
Dimensions Ø: 60cm H: 200cm
Base Ø: 18cm H: 3.5cm
Spots Dimensions Ø: 4.5cm H: 8cm
Dimmable Triac 
Material Metal - Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Movable Spots
Profile 2x2cm


Color Black Matt / **Code 22012**



Power 39W + 4x 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6385Lm
Cri 80
Dimensions Ø: 79cm H: 200cm
Base Ø: 18cm H: 3.5cm
Spots Dimensions Ø: 4.5cm H: 8cm
Dimmable Triac 
Material Metal - Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Movable Spots
Profile 2x2cm

Color Black Matt / **Code 22013**







Power	56W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4430Lm
Cri	80
Dimensions	Ø: 65cm H: 8cm
Base	Ø: 18cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 1618




Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1800Lm
Cri 80
Dimensions Ø: 40cm H: 5.5cm
Base Ø: 16cm H: 3.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 2044**
Color Sandy White / **Code 2045**
Color Brushed Gold Matt / **Code 2046**



Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4080Lm
Cri 80
Dimensions Ø: 60cm H: 5.5cm
Base Ø: 18cm H: 3.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 2052**
Color Sandy White / **Code 2053**
Color Brushed Gold Matt / **Code 2054**



Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions Ø: 80cm H: 5.5cm
Base Ø: 18cm H: 3.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 2060**
Color Sandy White / **Code 2061**
Color Brushed Gold Matt / **Code 2062**



Model Finishing

Brushed Gold Matt




Sandy White




Sandy Black







Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5400Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
Color Copper / **Code 180031-D**



Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5400Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
Color White Matt / **Code 180030-D**



Power 56W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4500Lm
Cri 80
Dimensions Ø: 60cm / Ø: 33cm H: 15cm
Base Ø: 18cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Silicon
Special Feature 120cm Cable Adjustable
Color White Matt / **Code 180055**




Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2529Lm
Cri 80
Dimensions Ø: 46cm H: 11cm
Base Ø: 18cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Silicon
Color White Matt / **Code 180054**








DECORATIVE LIGHTING | CRYSTAL



Power 27W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1745Lm
Cri 90
Dimensions Ø: 40cm H: 13.5cm
Base Ø: 12cm H: 4cm
Dimmable Triac 
Material Metal - Crystal
Special Feature 150cm Cable Adjustable
Color Antique Brass / **Code 23045**




Power 38W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2290Lm
Cri 90
Dimensions Ø: 60cm H: 13cm
Base Ø: 18cm H: 4cm
Dimmable Triac 
Material Metal - Crystal
Special Feature 150cm Cable Adjustable
Color Antique Brass / **Code 23046**




Power 55W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3350Lm
Cri 90
Dimensions Ø: 80cm H: 13cm
Base Ø: 18cm H: 4cm
Dimmable Triac 
Material Metal - Crystal
Special Feature 150cm Cable Adjustable
Color Antique Brass / **Code 23048**







Power 38W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2290Lm
Cri 90
Dimensions Ø: 60cm H: 16.3cm
Dimmable Triac ☐
Material Metal - Crystal
Color Antique Brass / **Code 23047**




Power 55W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3350Lm
Cri 90
Dimensions Ø: 80cm H: 15.8cm
Dimmable Triac ☐
Material Metal - Crystal
Color Antique Brass / **Code 23049**




Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 20cm H: 14cm
Material Metal - Crystal
Color Antique Brass / **Code 23050**






Power 68W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4350Lm
Cri 80
Dimensions L: 100cm W: 24cm H: 170cm
Base L: 28cm W: 14cm H: 5cm
Dimmable Triac ☒
Material Stainless Steel - Clear Glass
Special Feature 150cm Cable Adjustable
Profile 3.5x4cm
Color Gold Matt / **Code 22041**






Power 56W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3610Lm
Cri 80
Dimensions Ø: 60cm H: 15cm
Base Ø: 18.5cm H: 5cm
Dimmable Triac ☐
Material Stainless Steel - Clear Glass
Special Feature 150cm Cable Adjustable
Profile 3.5x4cm
Color Gold Matt / **Code 22039**



Power 68W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4350Lm
Cri 80
Dimensions Ø: 80cm H: 15cm
Base Ø: 18.5cm H: 5cm
Dimmable Triac ☐
Material Stainless Steel - Clear Glass
Special Feature 150cm Cable Adjustable
Profile 3.5x4cm
Color Gold Matt / **Code 22040**






Bulb 8x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 120cm H: 65-85cm
Base Ø: 10cm
Material Metal- Clear Glass
Special Feature Clear Glass Ø: 12cm
Color Bronze / **Code 18132-BR**









Bulb 3x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 6.5cm H: 160cm
Base L: 105cm W: 6.5cm H: 2.7cm
Glass Ø: 11cm H: 42cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt Base - Antique Brass / **Code 23009**






Bulb 1x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 11cm H: 42cm
Base Ø: 10cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Antique Brass / **Code 23008**




Bulb 3x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 38cm H: 160cm
Base Ø: 38cm H: 2.5cm
Glass Ø: 11cm H: 42cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt Base - Antique Brass / **Code 23010**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 19.5cm
Base Ø: 10cm H: 2.5cm
Material Metal - Smoked Glass
Special Feature 150cm Cable Adjustable
Color Anodised Dark Grey - Smoked Glass / **Code 23012**




Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 140cm
Shade Ø: 28cm H: 19.5cm
Base Ø: 50cm H: 3cm
Material Metal - Smoked Glass
Special Feature 120cm Cable Adjustable
Color Black Matt Base -
Anodised Dark Grey - Smoked Glass / **Code 23014**





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 17.5cm
Base Ø: 10cm L: 2.5cm
Material Metal - Glass
Color Anodised Dark Grey - Smoked Glass / **Code 23011**



Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 6.5cm H: 140cm
Shade Ø: 28cm H: 19.5cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt Base - Anodised Dark Grey - Smoked Glass / **Code 23013**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Ø: 15cm H: 36cm
Base Ø: 13cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Black Matt - Smoked Glass / **Code 23217**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Ø: 23cm H: 36cm
Base Ø: 13cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Black Matt - Smoked Glass / **Code 23214**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Ø: 15cm H: 36cm
Base Ø: 13cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Black Matt - Gold Glass / **Code 23218**
Color Black Matt - Copper Glass / **Code 23219**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Ø: 23cm H: 36cm
Base Ø: 13cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Black Matt - Gold Glass / **Code 23215**
Color Black Matt - Copper Glass / **Code 23216**






Power 3x 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1950Lm
Cri 80
Dimensions Ø: 38cm H: 220cm
Base Ø: 38cm H: 3cm
Glass Ø: 15cm H: 36cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 180cm Fabric Cable Adjustable
Color Black Matt - Gold Glass / **Code 23231**




Power 3x 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1950Lm
Cri 80
Dimensions L: 105cm H: 220cm
Base L: 105cm W: 6.5cm H: 2.7cm
Glass Ø: 15cm H: 36cm
Non Dimmable ☒
Material Metal - Glass
Special Feature 180cm Fabric Cable Adjustable
Color Black Matt - Gold Glass / **Code 23232**






- Bulb 1x E14 LED
- Power 8W MAX
- Input 220-240V, 50/60Hz
- Dimensions Ø: 8cm H: 23cm
- Base Ø: 8cm H: 2cm
- Glass Ø: 8cm H: 18.5cm
- Material Metal - Clear Glass - Frost White Glass
- Special Feature 150cm Cable Adjustable
- Color Sandy Black - Antique Brass / **Code 22137**






Bulb 1x E14 LED
Power 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 8cm H: 23cm
Base L: 8cm W: 1.5cm H: 8cm
Glass Ø: 8cm H: 18.5cm
Material Metal - Clear Glass - Frost White Glass
Special Feature IP44
Color Sandy Black - Antique Brass / **Code 22135**




Bulb 1x E14 LED
Power 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm W: 24cm H: 110cm
Base L: 24cm W: 24cm H: 3cm
Glass Ø: 8cm H: 18.5cm
Material Metal - Clear Glass - Frost White Glass
Special Feature 150cm Cable Available
Color Sandy Black - Antique Brass / **Code 22136**






Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1100Lm
Cri	80
Dimensions	L: 62cm W: 15cm H: 210cm
Base	L: 15cm W: 6.5cm H: 5.5cm
Dimmable Triac	☉
Material	Aluminium - Glass
Special Feature	200cm Cable Adjustable Glass Ø: 15cm Ø: 10cm Profile Ø: 2cm
Color	Black Matt - Smoked Glass / Code 22109
Color	Gold Matt - Opal Glass / Code 22108






Power	24W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2200Lm
Cri	80
Dimensions	L: 105cm W: 15cm H: 100cm
Base	L: 105cm W: 6.5cm H: 2.7cm
Dimmable Triac	☐
Material	Aluminium - Glass
Special Feature	100cm Cable Adjustable Opal Glass Ø: 15cm Ø: 10cm Profile Ø: 2cm
Color	Black Matt - Smoked Glass / Code 22234
Color	Gold Matt - Opal Glass / Code 22235





Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3312Lm
Cri 90
Dimensions L: 140cm W: 30cm H: 100cm
Base Ø: 22cm H: 4.5cm
Dimmable Triac 
Material Aluminium - Silicon - Opal Glass
Special Feature Opal Glass Ø: 10cm
Lighting Tube Ø: 1.5cm
Color Black Matt / **Code 22247**
Color Gold Matt / **Code 22248**



Power 19W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1550Lm
Cri 90
Dimensions L: 100cm W: 10cm H: 82.5cm
Base L: 20cm W: 6cm H: 3.5cm
Dimmable Triac 
Material Aluminium - Silicon - Opal Glass
Special Feature Opal Glass Ø: 10cm
Lighting Tube Ø: 1.5cm
Color Black Matt / **Code 22249**
Color Gold Matt / **Code 22250**



Modularization... Design your Own Lighting

Multiple and free combinations. Elegance, more concise or luxurious. Easy combination without redundancy.



Intermediate Diffuser

Intermediate Diffuser

Intermediate Diffuser

Terminal Diffuser

Model Finishing



Black Matt



White Matt




Gold Matt



Intermediate Diffuser



Terminal Diffuser




Terminal Diffuser
6V | 5W | 350Lm
3000K | CRI 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22231-B

White Matt
Code 22231-W

Gold Matt
Code 22231-G




Intermediate Diffuser
6V | 5W | 350Lm
3000K | CRI 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22232-B

White Matt
Code 22232-W

Gold Matt
Code 22232-G



Intermediate Diffuser
16V | 7W | 750Lm
3000K | CRI 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22233-B

White Matt
Code 22233-W


Gold Matt
Code 22233-G

Surface Base Driver

Power
Input
Dimensions
Base
Material

MAX 30W
220-240V, 50/60Hz
Ø: 14cm H: 205cm
Ø: 14cm H: 4.5cm
Metal

Black Matt / Code 22230-B
White Matt / Code 22230-W
Gold Matt / Code 22230-G




Combination for Reference (MAX 30W)


Power	Code
15W	22230-B
25W	22230-B
30W	22230-B
17W	22230-B
17W	22230-B
22W	22230-B
22W	22230-B
22W	22230-B
27W	22230-B
27W	22230-B
27W	22230-B
29W	22230-B
29W	22230-B
29W	22230-B
29W	22230-B

256


257




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions Ø: 16cm H: 78cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 140cm Cable Adjustable
Glass Ø: 16cm | Ø: 11cm
Color Black Matt / **Code 20132**




Power 19W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1440Lm
Cri 80
Dimensions L: 110cm W: 16cm H: 55cm
Base Ø: 13cm H: 3.2cm
Dimmable ☒
Material Metal - Opal Glass
Special Feature Step Dimming 10%-40%-100%
Glass Ø: 16cm | Ø: 11cm
Color Black Matt / **Code 20131**



Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
Dimensions L: 13.5cm H: 37cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature Glass Ø: 11cm
Color Black Matt / **Code 20133**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
Dimensions H: 42cm
Base Ø: 14cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 100cm Cable Available
Glass Ø: 11cm
Color Black Matt / **Code 20134**



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions H: 160cm
Base Ø: 22cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 200cm Cable Available
Glass Ø: 16cm | Ø: 11cm
Color Black Matt / **Code 20135**







Power 37W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3040Lm
Cri 80
Dimensions L: 105cm W: 12.5cm H: 200cm
Base L: 105cm W: 12.5cm H: 4.6cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Movable Opal Balls Ø: 12.5cm
Color Black Matt - Gold Matt / **Code 2001**






Top View



Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2002









Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm L: 15cm H: 42cm
Base Ø: 12cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Ball Ø: 12.5cm
Color Black Matt - Gold Matt / **Code 2003**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm H: 42cm
Base Ø: 15cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Ball Ø: 12.5cm
Color Black Matt - Gold Matt / **Code 2004**






Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2300Lm
Cri 90
Dimensions L: 111.5cm W: 14.5cm H: 37-67-97cm
Base Ø: 15cm H: 3.2cm
Glass Ø: 14.5cm H: 5.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Color Gold Matt / **Code 22062**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 90
Dimensions L: 9cm W: 14.5cm H: 37cm
Base Ø: 13cm H: 3cm
Opal Glass Ø: 14.5cm L: 5.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Color Gold Matt / **Code 22061**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 16.5cm W: 25cm H: 42.5cm
Base Ø: 10cm H: 2.5
Non Dimmable ☒
Material Metal - Aluminium - Opal Glass
Special Feature 180cm Cable Adjustable
Color Black Matt / **Code 20254**
Color Gold Matt / **Code 20255**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 13.5cm W: 16.5cm H: 25cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20137**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 23.5cm W: 25cm H: 33cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20136**







Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 52cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 43cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Smoked Glass - Gold Matt / **Code 22056**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 24cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Smoked Glass - Gold Matt / **Code 22058**



Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 34cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Clear Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Clear Glass - Gold Matt / **Code 22057**




Bulb 3x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 150cm
Base Ø: 12cm H: 3cm
Glass Ø: 30cm H: 24cm
Ø: 30cm H: 43cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Sandy Black - Smoked Glass - Gold Matt / **Code 22148**





Bulb 3x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 30cm H: 150cm
Base Ø: 12cm H: 3cm
Glass Ø: 30cm H: 24cm
Ø: 30cm H: 43cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Sandy Black - Smoked Glass - Gold Matt / **Code 22149**






Bulb	6x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 110cm H: 160cm
Bases	Ø: 20cm H: 3cm
	Ø: 80cm H: 3cm
Glass	Ø: 30cm H: 24cm
	Ø: 30cm H: 43cm
Opal Glass	Ø: 10.5cm H: 13.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside
Special Feature	150cm Cable Adjustable
Color	Sandy Black - Smoked Glass - Gold Matt / Code 22147






Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 23cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 18cm H: 20cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Fabric Cable Adjustable
Opal Glass Ø: 10cm
Color Sandy Black / **Code 22051**




Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 23.5cm W: 18cm H: 34cm
Base Ø: 10cm W: 2.5cm
Glass Ø: 18cm H: 20cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature Opal Glass Ø: 10cm
Color Sandy Black / **Code 22052**




Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 31cm W: 26cm H: 145cm
Smoked Glass Ø: 18cm H: 20cm
Base Ø: 26cm W: 3.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside - Black Marble Base
Special Feature 180cm Cable Available
Opal Glass Ø: 10cm
Color Sandy Black - Black Marble / **Code 22053**




DECORATIVE LIGHTING | GLASS




Bulb 3x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 110cm W: 18cm H: 140cm
Base Ø: 12cm H: 3cm
Glass Ø: 18cm H: 20cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Opal Glass Ø: 10cm
Color Sandy Black / **Code 22146**



Bulb 3x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 150cm
Base Ø: 12cm H: 3cm
Glass Ø: 18cm H: 20cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Opal Glass Ø: 10cm
Color Sandy Black / **Code 22145**





Bulb 2x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 50cm W: 25cm H: 34cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature 200cm Fabric Cable Adjustable
Opal Glass Ø: 25cm / Ø: 15cm
Color Gold Matt / **Code 1997**




Bulb 5x E14
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions L: 115cm W: 15cm H: 34cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature 200cm Fabric Cable Adjustable
Opal Glass Ø: 15cm
Color Gold Matt / **Code 1998**






Bulb 1x E14 , 1x G9
Power 15W MAX , 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 33cm H: 21cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm / Ø: 10cm
Color Gold Matt / **Code 1995**




Bulb 1x E14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 23cm H: 20cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm
Color Gold Matt / **Code 1996**





Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions W: 20cm H: 50cm
Base Ø: 8cm H: 3.5cm
Material Metal - Opal Glass
Special Feature 220cm Fabric Cable Adjustable
Opal Glass Ø: 12cm
Color Gold Matt / **Code 23135**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions W: 11cm H: 23cm
Base Ø: 8cm H: 3.5cm
Material Metal - Opal Glass
Special Feature 220cm Fabric Cable Adjustable
Opal Glass Ø: 8cm
Color Gold Matt / **Code 23136**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm L: 12cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Gold Matt / **Code 23137**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 15cm H: 45cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 15cm H: 28cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Gold Matt / **Code 22070**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 33cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 20cm H: 18cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Gold Matt / **Code 22071**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 28cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 11cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Gold Matt / **Code 22072**







Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 30cm H: 100cm
Base Ø: 12cm H: 3cm
Glass Ø: 30cm H: 11cm
Ø: 20cm H: 18cm
Ø: 15cm H: 28cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Sandy Black - Gold Matt / **Code 22151**




Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 140cm
Bases Ø: 12cm H: 3cm
Glass Ø: 47cm H: 3cm
Ø: 30cm H: 11cm
Ø: 20cm H: 18cm
Ø: 15cm H: 28cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Sandy Black - Gold Matt / **Code 22150**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 23.5cm
Base Ø: 10cm H: 2.5cm
Material Metal - Opal Glass
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 23015**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 39cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 25cm
Material Metal - Opal Glass
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 20124**
White Matt / **Code 20125**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 48cm
Base Ø: 10cm H: 2.5cm
Opal Glass Ø: 13cm H: 24cm
Material Metal - Ceramic - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Antique Brass / **Code 22078**


Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm H: 41cm
Base Ø: 10cm H: 2.5cm
Opal Glass Ø: 21cm H: 16cm
Material Metal - Ceramic - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Antique Brass / **Code 22079**

Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 22cm W: 13cm H: 49cm
Base Ø: 10cm L: 2.5cm
Glass Ø: 13cm H: 24cm
Material Metal - Ceramic - Opal Glass
Color Antique Brass / **Code 22080**






Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 140cm
Base Ø: 12cm H: 3cm
Glass Ø: 21cm H: 16cm
Ø: 13cm H: 24cm
Material Metal - Ceramic - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Sandy Black - Antique Brass / **Code 22152**




Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 110cm W: 21cm H: 140cm
Base Ø: 12cm H: 3cm
Glass Ø: 21cm H: 16cm
Ø: 13cm H: 24cm
Material Metal - Ceramic - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Sandy Black - Antique Brass / **Code 22153**





Bulb	1x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 8cm W: 26cm H: 36cm
Material	Metal - Opal Glass
Special Feature	Opal Glass Ø: 8cm
Color	Sandy Olive Green - Painted Gold / Code 22203
Color	Terracotta - Painted Gold / Code 22204
Color	Elephant Grey - Sandy Black / Code 22205


Model Finishing



Sandy Olive Green
Painted Gold




Terracotta
Painted Gold




Elephant Grey
Sandy Black







Bulb 1x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 22cm
Base Ø: 8cm H: 3.5cm
Material Metal - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Opal Glass Ø: 12cm
Color Black Matt - Painted Gold / **Code 22220**




Bulb 1x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 22cm L: 25cm
Base Ø: 8cm H: 3.5cm
Material Metal - Opal Glass
Special Feature 200cm Fabric Cable Adjustable
Opal Glass Ø: 12cm
Color Black Matt - Painted Gold / **Code 22219**



Bulb 2x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 18cm H: 95cm
Base Ø: 12cm H: 2.5cm
Material Metal - Opal Glass
Special Feature Standard Length
Glass Ø: 18cm
Glass Ø: 9cm
Color Sandy Black - Painted Gold / **Code 22267**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 40cm H: 40cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Sandy Olive Green - Painted Gold / **Code 22201** 




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm W: 30cm H: 50cm
Base Ø: 15cm H: 3cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 20cm
Color Painted Gold / **Code 22200** 






Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 12.5cm W: 10cm H: 42cm
Base Ø: 10cm H: 3cm
Material Metal - Opal Glass
Special Feature 200cm Cable Adjustable
Opal Glass Ø: 8cm
Color Painted Gold - Golden Leaf / **Code 22060**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 14cm W: 12.5cm H: 32cm
Base Ø: 13cm H: 3cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Painted Gold - Golden Leaf / **Code 22059**






Bulb 4x G9 LED , 4x E27 LED
Power 7W MAX , 8W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 75cm H: 100cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass - Opal Glass
Special Feature Opal Glass Ø: 12cm
Dark Champagne Glass Ø: 7cm H: 23cm
Color Sandy Black - Antique Brass / **Code 22055**




Bulb 1x G9 LED , 1x E27 LED
Power 7W MAX , 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 22cm W: 12cm H: 85cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass - Opal Glass
Special Feature Opal Glass Ø: 12cm
Dark Champagne Glass Ø: 7cm H: 23cm
Color Sandy Black - Antique Brass / **Code 22054**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 32cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Chrome - Smoked Grey / **Code 1987**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm H: 42cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Chrome - Smoked Grey / **Code 1985**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 50cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Fabric Cable Adjustable
Color Chrome - Smoked Grey / **Code 1986**






Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 170cm
Base Ø: 50cm H: 3cm
Material Metal - Glass
Special Feature 120cm Fabric Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19241**




Bulb 4x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 105cm H: 170cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Fabric Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19240**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 28cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Ink Blue - Antique Brass / **Code 19175**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 30cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Clear Glass - Antique Brass / **Code 19125**



Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 20cm H: 150cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Black Matt Base
Color Clear Glass - Antique Brass / **Code 19242**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 25.5cm H: 26.5cm
Base	Ø: 10cm H: 2.5cm
Material	Metal - Aluminium - Dimple Glass Outside Opal Glass Inside
Special Feature	150cm Fabric Cable Adjustable
Color	Sandy Black - Green Glass / Code 22033
Color	Sandy Black - Blue Glass / Code 22034
Color	Sandy Black - Smoked Glass / Code 22035







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 80
Dimensions Ø: 14cm H: 35cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt - Clear Glass / **Code 1966**
Color Black Matt - Smoked Grey / **Code 1965**




Power 3x 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1300Lm
Cri 80
Dimensions L: 105cm W: 14cm H: 135cm
Base L: 105cm W: 6.5cm H: 2.7cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 100cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 1970**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 80
Dimensions Ø: 14.5cm H: 22cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 150cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 1967**
Color Gold Matt - Clear Glass / **Code 1968**




Power 3x 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1300Lm
Cri 80
Dimensions Ø: 38cm H: 150cm
Base Ø: 38cm H: 2.5cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 125cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 1971**



Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 240cm
Base Ø: 30cm H: 2.5cm
Glass Ø: 20cm H: 18.5cm
Material Metal - Glass
Special Feature 150cm Fabric Cable Adjustable
Color Clear, Smoked, Champagne Glass
Antique Brass / **Code 22073**




Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 20cm H: 200cm
Base L: 70cm W: 5cm H: 2.6cm
Glass Ø: 20cm H: 18.5cm
Material Metal - Glass
Special Feature 150cm Fabric Cable Adjustable
Color Clear, Smoked, Champagne Glass
Antique Brass / **Code 22074**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 31cm
Base Ø: 10cm H: 2cm
Glass Ø: 13cm H: 23cm
Material Metal - Glass
Special Feature 150cm Fabric Cable Adjustable
Color Gold Matt - Chrome Glass / **Code 22001**
Color Black Matt - Chrome Glass / **Code 22002**





Bulb 4x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 13cm H: 140cm
Base L: 105cm W: 6.5cm H: 2.7cm
Glass Ø: 13cm H: 23cm
Material Metal - Glass
Special Feature 110cm Fabric Cable Adjustable
Color Gold Matt - Chrome Glass / **Code 22143**
Color Black Matt - Chrome Glass / **Code 22142**



Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 150cm
Base Ø: 35cm H: 4cm
Glass Ø: 13cm H: 23cm
Material Metal - Glass
Special Feature 120cm Fabric Cable Adjustable
Color Gold Matt - Chrome Glass / **Code 22144**
Color Black Matt - Chrome Glass / **Code 22141**

Adjustable Ceiling Base



Model Finishing




Black Matt-Chrome Glass




Gold Matt-Chrome Glass






Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1x E27
40W MAX
220-240V, 50/60Hz
Ø: 13cm H: 44cm
Ø: 12cm H: 2.5cm
Glass - Metal
150cm Cable Adjustable
Grey - Antique Brass / **Code 19176**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1x E27
40W MAX
220-240V, 50/60Hz
Ø: 25cm H: 35cm
Ø: 12cm H: 2.5cm
Glass - Metal
150cm Cable Adjustable
Grey - Antique Brass / **Code 19177**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color


1x E27
40W MAX
220-240V, 50/60Hz
Ø: 31cm H: 43cm
Ø: 12cm H: 2.5cm
Metal - Glass
150cm Cable / Chain Adjustable
Bronze / **Code 16106**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 29cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1515**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 30cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1517**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 23cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1516**




DECORATIVE LIGHTING | GLASS



Bulb 1x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 21cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 20cm H: 15cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Champagne - Black Matt / **Code 22114**
Clear Glass - Painted Gold / **Code 22115**




Bulb 1x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 16cm H: 23cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 16cm H: 17cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Champagne - Black Matt / **Code 22116**
Clear Glass - Painted Gold / **Code 22117**




Bulb 1x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 11cm H: 30cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 11cm H: 24cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Champagne - Black Matt / **Code 22118**
Clear Glass - Painted Gold / **Code 22119**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 36cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 19cm H: 30cm
Base Ø: 10cm H: 2.5cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Smoked Grey / **Code 14101**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 22cm
Base Ø: 10cm H: 2.5cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Smoked Grey / **Code 14102**









Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1856Lm
Cri 90
Dimensions L: 80cm W: 45cm H: 3cm
Beam Angle 24°
Dimmable Triac ☐
Material Metal - Aluminium
Color Sandy Black / **Code 23042**







Gold Matt



Power 37W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2034Lm
Cri 80
Dimensions Ø: 60cm H: 3.6cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile L: 2.5cm H: 3.6cm
Color Gold Matt / **Code 23024**
Color Black Matt / **Code 23025**




Black Matt




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2956Lm
Cri 80
Dimensions Ø: 80cm H: 3.6cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile L: 2.5cm H: 3.6cm
Color Gold Matt / **Code 23026**
Color Black Matt / **Code 23027**






Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1895Lm
Cri 80
Dimensions L: 84cm L: 80cm H: 6cm
Base Ø: 12cm H: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile L: 1.5cm H: 2cm
Color Black Matt - Gold Matt Ring / **Code 23097**
Gold Matt - Black Matt Ring / **Code 23099**




Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1418Lm
Cri 80
Dimensions L: 64cm L: 60cm H: 6cm
Base Ø: 12cm H: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile L: 1.5cm H: 2cm
Color Black Matt - Gold Matt Ring / **Code 23096**
Gold Matt - Black Matt Ring / **Code 23098**





Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2541Lm
Cri 80
Dimensions L: 60cm W: 60cm H: 6.4cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Color White Matt / **Code 23086**
Color Black Matt / **Code 23087**
Color Gold Matt / **Code 23088**



Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3067Lm
Cri 80
Dimensions L: 80cm W: 80cm H: 6.7cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Color White Matt / **Code 23089**
Color Black Matt / **Code 23090**
Color Gold Matt / **Code 23091**






White Matt




Gold Matt




Power	36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2125Lm
Cri	80
Dimensions	L: 49cm W: 39cm H: 6.2cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic
Color	White Matt / Code 23092
Color	Gold Matt - White Matt / Code 23093






Power 29W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1942Lm
Cri 80
Dimensions L: 40cm W: 40cm H: 6cm
Base Ø: 23cm H: 4cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x 2cm
Color Sandy Black / **Code 23205**
Color Sandy White / **Code 23206**
Color Gold Matt / **Code 23207**



Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2602Lm
Cri 80
Dimensions L: 59cm W: 59cm H: 6cm
Base Ø: 41cm H: 4cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x 2cm
Color Sandy Black / **Code 23208**
Color Sandy White / **Code 23209**
Color Gold Matt / **Code 23210**




Power 58W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3811Lm
Cri 80
Dimensions L: 78cm W: 78cm H: 6cm
Base Ø: 59cm H: 4cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x 2cm
Color Sandy Black / **Code 23211**
Color Sandy White / **Code 23212**
Color Gold Matt / **Code 23213**








Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 30cm
Material Metal
Color Black Matt - Golden Leaf / **Code 23257** 
Color White Matt - Golden Leaf / **Code 23258** 





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 70cm H: 40cm
Material Metal
Color Black Matt - Golden Leaf / **Code 23259** 
Color White Matt - Golden Leaf / **Code 23260** 





Power 56W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6000Lm
Cri 80
Dimensions Ø: 60cm H: 14-24cm
Base L: 56,5cm W: 7cm H: 3.5cm
Dimmable Triac
Material Metal - Aluminium - Silicon
Special Feature Profile 2x2cm Movable

Color Black Matt / **Code 22016**
Color Gold Matt / **Code 22018**



Power 80W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 8500Lm
Cri 80
Dimensions Ø: 79cm H: 18-34cm
Base L: 75,5cm W: 7cm H: 3.5cm
Dimmable Triac
Material Metal - Aluminium - Silicon
Special Feature Profile 2x2cm Movable


Color Black Matt / **Code 22017**
Color Gold Matt / **Code 22019**



Model Finishing




Black Matt




Gold Matt






Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1800Lm
Cri 80
Dimensions Ø: 40cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2040**
Color Sandy White / **Code 2041**
Color Brushed Gold Matt / **Code 2042**




Power 43W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3715Lm
Cri 80
Dimensions Ø: 60cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2048**
Color Sandy White / **Code 2049**
Color Brushed Gold Matt / **Code 2050**




Power 55W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4080Lm
Cri 80
Dimensions Ø: 80cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2056**
Color Sandy White / **Code 2057**
Color Brushed Gold Matt / **Code 2058**






Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions L: 103cm W: 60cm H: 22cm
Base L: 6cm W: 6cm H: 22cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Special Feature Profile Ø: 1.5cm
Color Elephant Grey / **Code 20159**






Power 72W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 10.080Lm
Cri 80
Dimensions L: 63cm W: 63cm H: 8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Optional Dimming DALI
Color Sandy White / **Code 18148-W**
Color Sandy Black / **Code 18148-B**






Power 32W + 4x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5700Lm
Cri 80
Dimensions L: 90cm W: 67cm H: 12-17cm
Base L: 18cm W: 18cm H: 8.5cm
Spots Dimensions Ø: 4.5cm L: 8cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Movable Spots
Color Sandy Black / **Code 22020**








Power 52W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4400Lm
Cri 80
Dimensions L: 90cm W: 67cm H: 8.5cm
Base L: 18cm W: 18cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2020**
Color Sandy White / **Code 2021**
Color Gold Matt / **Code 2022**






Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3360Lm
Cri 80
Dimensions L: 56cm W: 56cm H: 8.5cm
Base L: 14cm W: 14cm H: 8.5cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2023**
Color Sandy White / **Code 2024**
Color Gold Matt / **Code 2025**



Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2000Lm
Cri 80
Dimensions L: 46cm W: 46cm H: 6.5cm
Base L: 14cm W: 14cm H: 6.5cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2026**
Color Sandy White / **Code 2027**
Color Gold Matt / **Code 2028**







Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions L: 93cm W: 31cm H: 53.5cm
Base L: 28cm W: 5cm H: 9.2cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature Profile 2x1.5cm


Color Sandy White / **Code 2078**
Color Gold Matt / **Code 2080**






Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Sandy Black / Code 2064
Color	Sandy White / Code 2065






Power 31W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1766Lm
Cri 90
Dimensions Ø: 42.5cm H: 6cm
Base L: 35cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2074**
Color Sandy White / **Code 2075**





Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2084Lm
Cri 90
Dimensions Ø: 52.5cm H: 6cm
Base L: 43cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2076**
Color Sandy White / **Code 2077**






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2300Lm
Cri 80
Dimensions Ø: 38cm H: 10.5cm
Base Ø: 33cm
Dimmable Triac ☐
Material Metal - Acrylic
Color White Matt / **Code 22127**
Color Black Matt / **Code 22128**





- | | |
|-------------------|---|
| Power | 61W + 2x5W |
| Input | 220-240V, 50/60Hz |
| Color Temperature | 3000K |
| Lumen | 6700Lm |
| Cri | 80 |
| Dimensions | Ø: 50.6cm H: 10-15cm |
| Spots Dimension | Ø: 4.5cm L: 8cm |
| Dimmable Triac | ○ |
| Material | Metal - Aluminium - Silicon |
| Special Feature | Movable Spots |
| Color | White Matt - Black Matt / Code 22014 |
| Color | White Matt / Code 22015 |






5.4 25

Bulb
Power
Input
Dimensions
Material
Color
Color
Color


1x GU10 LED
5W MAX
220-240V, 50/60Hz
Ø: 5.4cm H: 25cm
Aluminium
Sandy White / **Code 23220**
Sandy Black / **Code 23221**
Brushed Brass / **Code 23222**



5.4 40

Bulb
Power
Input
Dimensions
Material
Color
Color

1x GU10 LED
5W MAX
220-240V, 50/60Hz
Ø: 5.4cm H: 40cm
Aluminium
Sandy White / **Code 23223**
Sandy Black / **Code 23224**





5.4 80

Bulb
Power
Input
Dimensions
Material
Color
Color

1x GU10 LED
5W MAX
220-240V, 50/60Hz
Ø: 5.4cm H: 80cm
Aluminium
Sandy White / **Code 23225**
Sandy Black / **Code 23226**








Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 621Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 40cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile L: 1.5cm H: 1.5cm

Color Gold Matt - Black Matt / **Code 23106**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 710Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 60cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile L: 1.5cm H: 1.5cm


Color Gold Matt - Black Matt / **Code 23107**



DECORATIVE LIGHTING | WALL




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 777Lm
Cri 80
Dimensions L: 4.5cm W: 50cm H: 50cm
Base L: 10cm W: 4.5cm H: 10cm
Dimmable Triac ☐
Material Aluminium - Silicon
Special Feature Profile L: 1.5cm H: 1.5cm
Color Gold Matt / **Code 23104**





Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1163Lm
Cri 80
Dimensions L: 4.5cm W: 100cm H: 100cm
Base L: 10cm W: 4.5cm H: 10cm
Dimmable Triac ☐
Material Aluminium - Silicon
Special Feature Profile L: 1.5cm H: 1.5cm
Color Gold Matt / **Code 23105**






Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 765Lm
Cri 80
Dimensions L: 6cm W: 12.3cm H: 48.2cm
Base Ø: 12.3cm L: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile L: 2cm H: 1.5cm
Color Black Matt - Gold Matt Ring / **Code 23102**
Color Gold Matt - Black Matt Ring / **Code 23103**





Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 838Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 60cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Movable Profile
Color Black Matt / **Code 20114**
Color Gold Matt / **Code 20115**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1506Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 100cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Movable Profile
Color Black Matt / **Code 20116**
Color Gold Matt / **Code 20117**






Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	900Lm
Cri	90
Dimensions	L: 10.5cm W: 25cm H: 80cm
Base	L: 8cm W: 25cm H: 5cm
Non Dimmable	☒
Material	Aluminium - Acrylic - Brass
Special Feature	Profile Ø: 2.4cm
Color	Sandy Black - Brushed Brass / Code 20338
Color	Sandy Black / Code 20339






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 908Lm
Cri 80
Dimensions L: 10cm W: 48cm H: 55cm
Base W: 5.5cm H: 15.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x3cm
Color Black Matt / **Code 1945**




Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1877Lm
Cri 80
Dimensions L: 10cm W: 68cm H: 78cm
Base W: 5.5cm H: 18.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x3cm
Color Black Matt / **Code 1946**


DECORATIVE LIGHTING | WALL



Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions L: 6.3cm W: 30cm H: 122.5cm
Base L: 5cm W: 30cm H: 4cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature Optional Dimming PhaseCut
Color Sandy Black / **Code 19117**



Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1300Lm
Cri 90
Dimensions Ø: 35cm H: 38cm L: 11.7cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Optional Dimming PhaseCut
Color Sandy Black - White Matt / **Code 1910**



- Power

Input

Color Temperature

Lumen

Cri

Dimensions

Base

Non Dimmable

Material

Color

Color
- 8W

220-240V, 50/60Hz

3000K

781Lm

80

Ø: 28cm L: 6.5cm

Ø: 13cm



☒

Metal - Glass

Black Matt - Smoked Grey / **Code 23076**


Black Matt - Champagne / **Code 23077**






Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2520Lm
Cri 80
Dimensions Ø: 50cm H: 10cm
Non Dimmable ☒
Material Metal - Acrylic
Color Black - Copper / **Code 1959**






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 576Lm
Cri 80
Dimensions Ø: 6cm L: 9cm H: 40cm
Base L: 3cm W: 4cm H: 12cm
Non Dimmable ☒
Material Stainless Steel - Acrylic
Color Brass - Black Matt / **Code 23041**




Bulb 1x E14
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 32cm W: 15cm H: 42cm
Base W: 8.3cm H: 12cm
Material Metal - Aluminium
Color Sandy Black - Copper Mat / **Code 18135**





Bulb	1x E14 LED
Power	8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black - Gold / Code 22047
Color	Sandy Black - Chrome / Code 22048







Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 18cm L: 6cm
Non Dimmable ☒
Material Metal - Acrylic
Color Brushed Brass / **Code 20349**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 24cm L: 6cm
Non Dimmable ☒
Material Metal - Acrylic
Color Brushed Brass / **Code 20350**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions L: 9cm W: 9cm H: 30cm
Non Dimmable 
Material Metal
Color White Matt / **Code 16155**




Bulb 2x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 4cm W: 21cm
Material Metal - Acrylic
Color White Matt / **Code 17023-W** 




Bulb 2x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 5cm W: 27cm
Material Metal - Acrylic
Color White Matt / **Code 17024-W** 


DECORATIVE LIGHTING | WALL




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 25cm H: 22cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Black Matt / **Code 20348-L**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 10.5cm W: 16cm H: 14.5cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Black Matt / **Code 20348-S**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 130cm W: 25cm H: 55cm
Base L: 2.7cm W: 8cm H: 30cm
Material Metal
Special Feature Shade Ø: 25cm
Color Black Matt / **Code 19231**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 80-110cm
Base Ø: 9cm H: 2cm
Material Metal - Aluminium
Special Feature Shade Ø: 20cm
Color Black Matt - White / **Code 19219**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 60-100cm W: 20cm H: 85cm
Base Ø: 8cm H: 2cm
Material Metal - Aluminium
Special Feature Shade Ø: 20cm
Color Black Matt - White / **Code 19218**








Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 52cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Fabric Gold Cable Adjustable
Color Natural - Gold Matt Base / **Code 23195**






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Raffia
Special Feature 200cm Fabric Gold Cable Adjustable
Color Natural - Gold Matt Base / **Code 23197**






Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 36cm
Base Ø: 10cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Black Matt - Natural / **Code 23071**




Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 20cm
Base Ø: 12cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Black Matt - Natural / **Code 23070**






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 80cm
Base Ø: 10cm H: 2.2cm
Material Metal - Rattan
Special Feature 200cm Fabric Gold Cable Adjustable
Color Natural - Gold Matt Base / **Code 23196**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 48cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20237**







Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 30cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22163** 



Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 30cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22164** 




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 30cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22165** 




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 50cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22161**




DECORATIVE LIGHTING | BAMBOO & RATTAN



Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 20cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black/ **Code 22166**




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 21cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22167**




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 45cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22168**







Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 46cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22171** 




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 10cm
Base Ø: 8cm H: 3.5cm
Material Metal - Bush
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22173** 




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm L: 11.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural - Sandy Black / **Code 22175** 




Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 11.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural - Sandy Black / **Code 22174** 






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19250**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black - Natural Bamboo / **Code 19252**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19251**
Black - Natural Bamboo / **Code 19253**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color White - Natural Bamboo / **Code 19106**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Black - Natural Bamboo / **Code 19104**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color White - Natural Bamboo / **Code 19107**
Color Black - Natural Bamboo / **Code 19105**





DECORATIVE LIGHTING | BAMBOO & RATTAN



Bulb 1x E27 LED
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 65cm H: 45cm
Base Ø: 8cm H: 3.5cm
Material Metal - Bamboo
Special Feature 200cm Black Fabric Cable Adjustable
Color Brown - Sandy Black / **Code 22172** 




Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 65cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Opal Glass Ø: 25cm
Special Feature 200cm Cable Adjustable
Color Black / **Code 20155**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1x E27
40W MAX
220-240V, 50/60Hz
Ø: 45cm H: 30cm
Ø: 12cm H: 2cm
Metal - Rattan
150cm Cable Adjustable
Black / **Code 20239**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1x E27
40W MAX
220-240V, 50/60Hz
Ø: 30cm H: 52cm
Ø: 15cm H: 2cm
Metal - Rattan
120cm Cable Available
Shade Ø: 30cm H: 20cm
Black / **Code 20238**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural Bamboo / **Code 19103**
Color Black / **Code 19108**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 37cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black / **Code 19109**







Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Brown / **Code 20236**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 60cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20154**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 55cm H: 70cm
Base Ø: 8cm H: 3.5cm
Material Rattan
Special Feature 150cm Cable Adjustable
Color Natural / **Code 18181** 




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 100cm
Base Ø: 8cm H: 3.5cm
Material Metal - Straw
Special Feature 50cm Chain Adjustable
Color Natural Straw / **Code 17129** 


DECORATIVE LIGHTING | BAMBOO & RATTAN




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 45cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20152**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20242**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20234**




- LED
- Bulb 3W
- 1x E27
- Power 40W MAX
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 240Lm
- Dimensions L: 25cm W: 15.5cm H: 28cm
- Base Ø: 12cm H: 2.5cm
- Switch 2/Switch On-Off
- Material Metal - Bush
- Special Feature Shade Ø: 15.5cm H: 15cm
Stick Ø: 2.8cm L: 36cm
- Color Black Matt - Natural / **Code 20355**



- Bulb 1x E27
- Power 25W MAX
- Input 220-240V, 50/60Hz
- Dimensions Ø: 40cm H: 40cm
- Base Ø: 8cm H: 2cm
- Material Metal - Bush - Burlap
- Special Feature 150cm Cable Adjustable
- Color Natural / **Code 20354**







- Bulb

Power

Input

Dimensions

Base

Material

Special Feature

Color

Color
- 1x E27

40W MAX

220-240V, 50/60Hz

Ø: 50cm H: 25cm

Ø: 8cm H: 3.5cm


Metal

120cm Fabric Cable Adjustable


Corten / **Code 22197**

Painted Bronze / **Code 22198**
-






Bulb 4x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 115cm W: 18cm H: 31cm
Base Ø: 8cm H: 3.5cm
Material Metal - Wood
Special Feature 120cm Fabric Cable Adjustable
Color Black Matt - Painted Bronze / **Code 22213**




Bulb 1x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm L: 16cm H: 30cm
Material Metal - Aluminium - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Painted Bronze - Painted Gold / **Code 22189**





Bulb 2x GU10 , 1x G9 LED
Power 25W MAX , 9W MAX
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 8cm H: 100cm
Spot Dimensions Ø: 6cm H: 9cm
Material Metal - Opal Glass
Special Feature Standard Length
Opal Glass Ø: 8cm

Color Sandy Black - Painted Gold / **Code 22227** 



Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 38cm W: 8.3cm H: 25cm
Spot Dimensions Ø: 6cm H: 9cm
Base L: 2.7cm W: 8.3cm H: 12cm
Material Metal


Color Sandy Black - Painted Gold / **Code 22228** 




Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions H: 18cm
Spot Dimensions Ø: 6cm H: 9cm
Base Ø: 5cm H: 2cm
Material Metal

Color Painted Bronze / **Code 22187** 







Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 118cm
Spot Dimensions Ø: 6cm H: 9cm
Base Ø: 8cm H: 3.5cm
Material Metal
Color Corten / **Code 22186** 



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 33cm L: 15cm
Base Ø: 8cm H: 2cm
Material Metal
Color Corten / **Code 22194** 



Bulb 3x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 100cm W: 6cm H: 60cm
Spot Dimensions Ø: 6cm H: 9cm
Base Ø: 8cm H: 3.5cm
Material Metal
Special Feature 120cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22226** 



Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 23cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminium
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22178** 




Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 10.5cm H: 25cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminium
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22185** 




Bulb 1x GU10
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 30cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminium
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22184** 






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 34cm H: 36cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1511-W**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 34cm H: 32cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1512-W**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 41cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1513-W**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 3.5cm
Material	Metal
Special Feature	150cm Fabric Cable Adjustable
Color	Black Matt / Code 19245 
Color	Yellow / Code 1642 






Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 65cm H: 22cm
Base Ø: 12cm H: 2.5cm
Material Metal - Opal Glass
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 1545**



Bulb 3x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 70cm H: 14cm
Material Metal - Opal Glass
Color Black Matt / **Code 1546**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 80
Dimensions L: 76cm W: 40cm H: 17cm
Base Ø: 10cm H: 2.5cm
Non Dimmable ☒
Material Metal - Acrylic
Special Feature 200cm Cable Adjustable
Optional Dimming PhaseCut
Color White Matt / **Code 1976**
Color Black Matt / **Code 1975**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 38cm
Base Ø: 12cm H: 2cm
Material Metal - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1644**
Color White Matt / **Code 1644-W**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 36cm H: 21cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt - White / **Code 1495**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 4.5cm H: 6.5cm
Base Ø: 6cm H: 4cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 14108-B**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 36cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt - White / **Code 1548**


DECORATIVE LIGHTING | METAL & WOOD




Bulb 1x GU10 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm H: 40cm
Base Ø: 8cm H: 3.5cm
Material Wood
Special Feature 150cm Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22214** 



Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
Dimensions Ø: 25cm H: 7cm
Base Ø: 15cm H: 4.5cm
Non Dimmable ☒
Material Metal - Wood
Special Feature 200cm Cable Adjustable
Color Nature Wood - Black Matt / **Code 19150**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 22cm
Base Ø: 10cm H: 2cm
Material Metal - Leather - Wood
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1990**
Color White Matt / **Code 1992**




Bulb 4x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm L: 105cm H: 170cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Leather - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1993-B**
Color White Matt / **Code 1993-W**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 33cm H: 23cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180085**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 28cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180088**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 16cm H: 31cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 18192**
Color White Matt / **Code 18193**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 23.5cm H: 25cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 18191**
Color White Matt / **Code 18190**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 26cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Green Matt / **Code 180065**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 20cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 180066**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 22cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Blue Matt / **Code 180067**








Bulb 2x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 29.5cm H: 48cm
Shade Ø: 29.5cm H: 13cm
Material Metal - Ceramic
Special Feature 150cm Cable Available
Movable Shade


Color Black / **Code 23006**
Color White / **Code 23007**






Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 47cm
Base Ø: 10cm H: 30cm
Material Metal
Special Feature 150cm Cable Available
Color Black Matt / **Code 20210**
Color Gold Matt / **Code 20211**








Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 80
Dimensions Ø: 13cm H: 35cm
Base Ø: 13cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 120cm Cable Available
Color Gold Matt - Champagne Glass / **Code 23060**
Color Black Matt - Smoked Glass / **Code 23061**



Power 17W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1050Lm
Cri 80
Dimensions Ø: 12cm H: 152cm
Base Ø: 22cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 120cm Cable Available
Color Gold Matt - Champagne Glass / **Code 23063**
Color Black Matt - Smoked Glass / **Code 23064**







Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 52cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade
Color Black Matt / **Code 23054**

Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 162cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1.5cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade
Color Black Matt / **Code 23055**





Bulb 1x G9 Led
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 41cm
Glass Ø: 30cm H: 35cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Available
Color Smoked Glass-Gold Matt / **Code 22066**




Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2410Lm
Cri 80
Dimensions Ø: 32cm H: 53cm
Base Ø: 20cm
Non Dimmable ☒
Material Metal - Smoked Glass - Opal Glass
Special Feature 150cm Cable Available
Color Black Matt / **Code 23085**


DECORATIVE LIGHTING | FLOOR & TABLE




Power 2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 178Lm
Cri 80
Dimensions Ø: 12cm H: 38.5cm
Base Ø: 12cm H: 2.5cm
Spot Dimension Ø: 3cm L: 11cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spot
Color Black Matt / **Code 23036**




Power 2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 178Lm
Cri 80
Dimensions Ø: 12cm H: 38.5cm
Base Ø: 12cm H: 2.5cm
Spot Dimension Ø: 3cm L: 11cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spot
Color Gold Matt / **Code 23037**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 21cm H: 155cm
Base Ø: 21cm H: 1cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 150cm Cable Available
Lamp Ø: 6.5cm
Movable
Color Sandy Black / **Code 20109**






Bulb 3x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions H: 156cm
Base L: 15cm W: 15cm H: 15cm
Material Metal - Marble - Opal Glass
Special Feature 150cm Cable Available
Opal Glass Ø: 8cm
Color White Marble - Gold Matt / **Code 18179**




Bulb 1x E14 LED
Power 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm W: 24cm H: 110cm
Base L: 24cm W: 24cm H: 3cm
Glass Ø: 8cm H: 18.5cm
Material Metal - Clear Glass - Frost White Glass
Special Feature 150cm Cable Available
Color Sandy Black - Antique Brass / **Code 22136**


DECORATIVE LIGHTING | FLOOR & TABLE




Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 31cm W: 26cm H: 145cm
Smoked Glass Ø: 18cm H: 20cm
Base Ø: 26cm W: 3.5cm
Material Metal - Smoked Glass Outside
Opal Glass Inside - Black Marble Base
Special Feature 150cm Cable Available
Opal Glass Ø: 10cm
Color Sandy Black - Black Marble / **Code 22053**



Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2392Lm
Cri 80
Dimensions Ø: 60cm H: 175cm
Base Ø: 35cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 2.2 x 2.2cm
Color Sandy Black / **Code 22038**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12cm H: 46cm
Base Ø: 12cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20118**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 16cm H: 150cm
Base Ø: 16cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20123**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1200Lm
Cri	80
Dimensions	Ø: 25cm H: 160cm
Base	Ø: 25cm H: 0.5cm
Material	Metal - Acrylic
Non Dimable	☒
Special Feature	150cm Cable Available Shade Ø: 16cm H: 2cm Uplight
Color	Sandy Black / Code 22065







Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 300Lm
Cri 80
Dimensions L: 23cm W: 18cm H: 50cm
Base Ø: 18cm H: 0.5cm
Spot Dimension Ø: 4cm L: 23cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spot
Color Sandy Black - Gold / **Code 22030**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 22cm H: 151cm
Base Ø: 22cm H: 0.5cm
Spots Dimension Ø: 4cm L: 23cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spots
Color Sandy Black - Gold / **Code 22032**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 27cm H: 44cm
Base Ø: 15cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color White Matt - Gold Matt / **Code 20222**
Color Black Matt - Gold Matt / **Code 20223**



Bulb 1x E14
Power 40W MAX
Dimensions H: 37cm
Base Ø: 16cm H: 0.5cm
Material Metal - Wood - Fabric Shade
Special Feature 120cm Cable Available
Shade Ø: 23cm H: 16cm
Color Black Matt / **Code 20214**
Color White Matt / **Code 20215**




Bulb 1x E14
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 17cm H: 42cm
Base Ø: 13cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt - Gold Matt / **Code 20217**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 45cm H: 159cm
Base Ø: 25cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt - Gold Matt / **Code 20216**







Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 21cm
Base Ø: 11cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Transparent - Antique Brass / **Code 20251**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 22cm
Base Ø: 11cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Transparent - Antique Brass / **Code 20250**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 40cm
Base Ø: 14cm H: 0.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color White - Gold Matt / **Code 20252**



Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 44cm
Base Ø: 11cm H: 19cm
Material Metal - Marble - Glass
Special Feature 150cm Cable Available
Color White Marble - Champagne - Antique Brass / **Code 20253**




Bulb 1x E14
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 18cm W: 11cm H: 18cm
Base Ø: 12cm H: 2cm
Material Metal - Aluminium
Color White Matt - Gold Matt / **Code 20218**
Color Grey Matt - Gold Matt / **Code 20219**




Bulb 1x E14
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm H: 44cm
Base Ø: 13cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color White Matt - Gold Matt / **Code 20221**
Color Grey Matt - Gold Matt / **Code 20220**









LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
IP	44
Dimensions	52" Ø: 152cm H: 32-44.5cm
Air Flow	164m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS Blades
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 40W 6 Speeds
Color	White Matt / Code 23003
Color	Black Matt / Code 23004




Light Kit for 23003-23004




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1600Lm
Cri	80
IP	44
Material	Polycarbonate
Color	Opal / Code 23005





LED Light Source Without Light
Input 220-240V, 50/60Hz
dB 20
Dimensions 60" Ø: 152cm H: 31.5-44cm
Air Flow 145.3m³ min
Night Mode Time Setting 1h / 4h / 8h
Material Metal - Wood
Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
Motor Feature DC Motor 40W
6 Speeds
Color Gold - Solid Walnut Wood Blades / **Code 23002**





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown - Cherry Wood Blades / Code 19143
Color	Black Matt - Cherry Wood Blades / Code 19143-B
Color	Chrome Matt - Natural Wood Blades / Code 19142



Model Finishing



Brown
Cherry Wood Blades




Black Matt
Cherry Wood Blades



Chrome Matt
Natural Wood Blades





- LED Light Source

Input

Color Temperature

Lumen

Cri

dB

Dimmable Triac

Dimensions

Air Flow

Night Mode

Material

Special Feature

Motor Feature

Color Double Face
- 33W

220-240V, 50/60Hz

3000K, 4000K, 6000K

2100Lm

80

20

☐

Ø: 57cm H: 22cm

123m³ min

Time Setting 2h / 4h

Metal - Acrylic - ABS - Hemp Rope


Summer & Winter Function

DC Motor 13W

6 Speeds


Natural- White / **Code 23001**







LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown - Natural Palm Leaf Blades / Code 19139






LED Light Source	22W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	2200Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 53cm
Air Flow	163m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Polycarbonate - Plywood (MDF)
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 40W 6 Speeds
Color Double Face	Brown - Brown Wood Blades Brown - Natural Wood Blades / Code 22083






LED Light Source Without Light
Input 220-240V, 50/60Hz
dB 20
Dimensions 54" Ø: 137cm H: 21cm
Air Flow 195m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - ABS
Special Feature TUYA WiFi Remote Control
Summer & Winter Function
Motor Feature DC Motor 40W
5 Speeds
Color Black Matt / **Code 20257**





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	64" Ø: 163cm H: 37.5-50cm
Air Flow	178m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	2 Down Rods 12.5-25cm Summer Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	AC Motor 70W 3 Speeds
Color	Black Matt / Code 20258





LED Light Source Without Light

Input 220-240V, 50/60Hz

dB 23

Dimensions 52" Ø: 132cm H: 32.5-45cm

Air Flow 175.3m³ min

Night Mode Time Setting 1h / 2h / 4h / 8h


Material Metal - Wood

Special Feature 2 Down Rods 12.5-25cm
Summer Function

Motor Feature AC Motor 57W
3 Speeds


Color Black Matt / **Code 19136-B**






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	60" Ø: 152cm H: 32-44.5cm
Air Flow	211.7m³ min
Night Mode	Time Setting 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	DC Motor 55W 5 Speeds
Color	Black Matt - Solid Wood Blades / Code 20259





LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 37.5-50cm
Air Flow	147.4m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Acrylic - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	DC Motor 40W 5 Speeds
Color	Coffee - Cherry Wood Blades / Code 20256






LED Light Source 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K, 6000K
Lumen 1500Lm
Cri 80
dB 23
Dimensions 52" Ø: 132cm H: 30cm
Air Flow 141m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - Polycarbonate - Wood
Special Feature Summer Function
Motor Feature AC Motor 55W
3 Speeds


Color Black Matt - Cherry Wood Blades / **Code 19144**






- LED Light Source 15W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 1500Lm
- Cri 80
- dB 20
- Dimensions 52" Ø: 132cm H: 42.5-55cm
- Air Flow 156.3m³ min
- Night Mode Time Setting 1h / 2h / 4h / 8h
- Material Metal - Glass - Wood
- Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
- Motor Feature DC Motor 38W
5 Speeds
- Color White Matt - Natural Wood Blades / **Code 19140**
- Color Black Matt - Natural Wood Blades / **Code 19141**






LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	152m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - ABS Blades
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 61W 3 Speeds
Color	White / Code 19133





LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	20
Dimensions	47" Ø: 120cm H: 37-49.5cm
Air Flow	156.3m³ / min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Polycarbonate - ABS
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Maple Blades / Code 19130
Color	Chrome Matt - Maple Blades / Code 19131





- LED Light Source 15W
 - Input 220-240V, 50/60Hz
 - Color Temperature 3000K, 4000K, 6000K
 - Lumen 1500Lm
 - Cri 80
 - dB 25
 - Dimensions 49" Ø; 124cm H: 26cm
 - Air Flow 168m³ min
 - Night Mode Time Setting 1h / 2h / 4h / 8h
 - Material Metal - Polycarbonate - Plywood (MDF)
 - Special Feature Summer Function
 - Motor Feature AC Motor 55W
 - 3 Speeds
- Color Double Face White Matt - Maple Wood Blades
White Matt - White Blades / **Code 19137**
- Color Chrome Matt - Brown Wood Blades / **Code 19138**




Model Finishing



White Matt Maple Wood Blades White Matt White Blades Chrome Matt Brown Wood Blades









Power	2.5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	141+178Lm
Cri	80
Dimensions	L: 9.7-16cm W: 9cm H: 63.5cm
Non Dimmable	☒
Switch	2 Switch On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Spot + Rotatable Back Light (Ø: 1.9cm) Stick Ø: 2.7cm H: 11cm
Color	Black Matt / Code 23039
Color	White Matt / Code 23040







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 840Lm
Cri 80
Dimensions Ø: 7cm H: 16cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 500cm Fabric Cable Adjustable
4 Hanging Accessories Included
Color Sandy Black / **Code 22176**





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	149Lm
Cri	90
Dimensions	Ø: 8cm L: 20-26cm
Base	Ø: 8cm L: 2.8cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 2.7cm L: 7cm
Color	Black Matt / Code 22049
Color	White Matt / Code 22050




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	L: 20cm W: 4.5cm
Base	L: 4.5cm W: 4.5cm H: 11.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 3cm L: 11.5cm
Color	Sandy Black / Code H72




Power 3W + 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240+350Lm
 Cri 80
 Dimensions L: 8-12cm W: 14cm H: 20cm
 Non Dimmable ☒
 Switch 2 Switch On/Off
 Material Metal - Aluminium
 Special Feature Back Light
 Stick Ø: 1.5cm H: 8cm
 Color Black Matt / **Code H41**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 180Lm
 Cri 80
 Dimensions L: 5.5-13.5cm W: 5cm H: 12cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Stick Ø: 1.6cm H: 9.5cm
 Color Black Matt / **Code H80**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions Ø: 1.6cm H: 80cm
Base Ø: 5.5cm H: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 20121**
Color Gold Matt / **Code 20122**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 150Lm
Cri 80
Dimensions Ø: 1.8cm H: 28cm
Base Ø: 8cm H: 3cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature 130cm Cable Adjustable
Color White Matt / **Code 17008**
Color Black Matt / **Code 17009**


USB Charger



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	204Lm
Cri	80
Dimensions	L: 7-19cm W: 16.5cm H: 6.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger Stick Ø: 3cm L: 14cm
Color	Sandy White / Code H74
Color	Sandy Black / Code H75




Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240+800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	☒
Switch	2 Switch On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / Code H54
Color	White Matt / Code H52




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1400Lm
Cri 80
Dimensions Ø: 35cm H: 6cm
Base Ø: 11cm H: 3cm
Non Dimmable ☒
Material Metal - Acrylic
Special Feature 200cm Cable Adjustable
Color White Matt / **Code 22129**
Color Black Matt / **Code 22130**






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	780Lm
Cri	80
Dimensions	Ø: 9cm L: 18cm H: 40cm
Base	Ø: 11cm H: 3,5cm
Dimmable Triac	○
Material	Metal - Acrylic
Special Feature	150cm Cable Adjustable Movable Ring Profile 2x1.5cm
Color	White Matt / Code 22044
Color	Black Matt - Gold Matt / Code 22045






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions L: 51cm W: 12cm H: 28cm
Base L: 3.5cm W: 7cm H: 10cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Movable Ring - Movable Arm
Color Black Matt / **Code 22042**
Color White Matt - Gold Matt / **Code 22043**






Bulb 1x G9 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 10cm H: 30cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Gold Matt / **Code H64**
Color Black Matt / **Code H64-B**



Power 2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 140Lm
Cri 80
Dimensions L: 12cm W: 8cm H: 20cm
Non Dimmable
Switch On/Off Push
Material Metal - Aluminium
Special Feature USB Charger
Color Black Matt - Brass / **Code 23038**



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / Code H48-B
Color	Gold / Code H48-G
Color	Copper / Code H47

Model Finishing




Gold



Black Matt




Copper



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 20-26cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm L: 9.5cm
Color	Brushed Brass / Code H63




USB Charger



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 4-12.5cm W: 7.8cm H: 18.3cm
Depth	4.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	15.8x5.7cm
Special Feature	USB Charger
	Stick Ø: 2.8cm H: 11cm
Color	Black Matt / Code H65
Color	Brushed Brass / Code H67




Switch On/Off




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 7cm-16cm W: 5.5cm H: 15cm
Base	L: 3cm W: 5.5cm H: 15cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 10cm
Color	Brushed Brass / Code H68






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 34cm W: 4cm H: 12cm
Depth 5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Cutting Hole 8.6x3.2cm
Special Feature Stick Ø: 2.5cm H: 6cm
Color Black / **Code H69**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions W: 8cm H: 19cm
Depth 6.5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Cutting Hole 17x6cm
Special Feature Stick W: 4cm H: 14cm
Color Black Matt / **Code H43**





LED
Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Dimensions L: 25cm W: 17cm H: 28cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Switch 2/Switch On-Off
Material Metal - Aluminium - Fabric Shade
Special Feature Shade Ø: 17cm H: 14.5cm
Stick Ø: 2.8cm L: 36cm


Color Black Matt / **Code H57**




LED
Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 14.5-20cm W: 20cm H: 20cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Fabric Shade
Special Feature USB Charger
Shade L: 12cm W: 20cm H: 11cm
Stick Ø: 2.8cm H: 8.5cm

Color Black Matt / **Code H59**








LED
Bulb 3W
Power 1xE27
Input MAX 40W
Color Temperature 220-240V, 50/60Hz
Lumen 3000K
Dimensions 200Lm
Shade L: 13.5cm W: 18cm H: 30cm
Base L: 12cm W: 18cm H: 17cm
Stick L: 2.5cm W: 10cm H: 10cm
Non Dimmable Ø: 3cm L: 11.5cm
Switch
Material
Color




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 200Lm
Cri 80
Dimensions Ø: 10.5cm L: 15.5cm
Depth 2.7cm
Non Dimmable
Switch On/Off
Material Metal - Aluminium
Cutting Hole Ø: 8.7cm
Special Feature Stick Ø: 3cm L: 11.5cm
Color






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	255Lm
Cri	80
Dimensions	L: 16.4cm Ø: 13cm H: 13.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger
	Flex 19cm
	Stick Ø: 3cm H: 5cm
Color	White Matt / Code H58




Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	☒
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / Code 20167




DECORATIVE LIGHTING | HOTEL




Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 90
Dimensions Ø: 4.8cm H: 4.8cm
Base Ø: 8cm H: 3cm
Non Dimmable 
Material Metal - Aluminium
Beam Angle 38°
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 1902**



Bulb 1x GU10 LED
Power 9W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm H: 40cm
Base Ø: 8cm H: 3.5cm
Material Wood
Special Feature 150cm Fabric Cable Adjustable
Color Natural - Sandy Black / **Code 22214** 




- LED
- Bulb 3W
- 1x E27
- Power 40W MAX
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 240Lm
- Dimensions L: 25cm W: 15.5cm H: 28cm
- Base Ø: 12cm H: 2.5cm
- Switch 2/Switch On-Off
- Material Metal - Bush
- Special Feature Shade Ø: 15.5cm H: 15cm
Stick Ø: 2.8cm L: 36cm
- Color Black Matt - Natural / **Code 20355**





- Bulb 1x E27
- Power 25W MAX
- Input 220-240V, 50/60Hz
- Dimensions Ø: 40cm H: 40cm
- Base Ø: 8cm H: 2cm
- Material Metal - Bush - Burlap
- Special Feature 150cm Cable Adjustable
- Color Natural / **Code 20354**






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Base Ø: 8cm L: 3cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature Flex 20cm
Color Chrome / **Code H30**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 15-20cm W: 6cm
Base L: 3cm W: 6cm H: 8cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature Flex 20cm
Color White Matt / **Code H33**
Color Black Matt / **Code H32**


DECORATIVE LIGHTING | HOTEL




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 14cm H: 13cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Black Matt / **Code 20344-L** 




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 10cm H: 9cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Black Matt / **Code 20344-S** 




Bulb 1x GU10
Power 50W MAX
Input 220-240V, 50/60Hz
Dimensions L: 7cm W: 11cm H: 10.5cm
Base L: 7cm W: 11cm H: 2.5cm
Material Aluminium
Special Feature Cylinder Ø: 6cm H: 7cm
Color White Matt / **Code 180105**




Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 328Lm
Cri 80
Dimensions L: 23cm W: 6cm H: 29-37cm
Base Ø: 6cm H: 12cm
Spot Dimension Ø: 4cm L: 23cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 40°
Special Feature Movable Spot
Color Sandy Black - Gold / **Code 22028**



Bulb 3x GU10
Power 35W MAX
Input 220-240V, 50/60Hz
Dimensions L: 45cm W: 6cm H: 11.8cm
Base L: 45cm W: 6cm H: 3cm
Material Metal - Aluminium
Special Feature Cylinder Ø: 6cm L: 8.2cm
Color Black Matt - Brushed Brass / **Code S107**
Color Black Matt / **Code S106**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 770Lm
Cri 80
Dimensions L: 6.5cm W: 4.5cm H: 118.5cm
Base Ø: 8cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Standard Length
Cube L: 6.5cm H: 4.5cm
Movable Spot
Color Sandy Black / **Code 1929**
Color Sandy White / **Code 1930**



Bulb 1x GU10
Power 35W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 11.8cm
Base Ø: 6cm H: 2.8cm
Material Metal - Aluminium
Special Feature Cylinder Ø: 6cm L: 8.2cm
Color Black Matt / **Code S104**








Power 40W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 4300Lm
Cri 80
Dimensions L: 70cm W: 3.5cm H: 70cm
Dimmable 
Material Mirror - Aluminium
Special Feature Touch Switches
Antifog
Back Light
IP54

Color Mirror / **Code 22069**



Anti Fog and
Back Light
Touch Switches
On the Mirror




Power 25W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 2600Lm
Cri 80
Dimensions Ø: 60cm W: 3.5cm
Dimmable 
Material Mirror - Aluminium
Special Feature Touch Switches
Antifog
Back Light
IP54

Color Mirror / **Code 22067**




Anti Fog and
Back Light
Touch Switches
On the Mirror




Power 36W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 3200Lm
Cri 80
Dimensions Ø: 80cm W: 3.5cm
Dimmable 
Material Mirror - Aluminium
Special Feature Touch Switches
Antifog
Back Light
IP54


Color Mirror / **Code 22068**



Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 610Lm
Cri 81
Dimensions L: 61cm W: 10cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5 x 2.2cm
Color Sandy Black / **Code 22124**




Power 17W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 81
Dimensions L: 81cm W: 10cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5 x 2.2cm
Color Sandy Black / **Code 22125**




Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1100Lm
Cri 81
Dimensions L: 100cm W: 10cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5 x 2.2cm
Color Sandy Black / **Code 22126**






Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 8cm W: 55cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 180041**




Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 8cm W: 55cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Black Matt / **Code 180041-B**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
Dimensions L: 7.2cm W: 60cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium
Special Feature IP 44
Profile 0.8 x 0.8cm
Color Sandy Black / **Code 20145**



Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1040Lm
Cri 80
Dimensions L: 7.2cm W: 90cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium
Special Feature IP 44
Profile 0.8 x 0.8cm
Color Sandy Black / **Code 20146**







Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1500Lm
Cri 80
Dimensions L: 60cm W: 9cm H: 6cm
Base L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP44
Up & Down Light
Profile 6x6cm

Color Black Matt / **Code 22088**







Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 16.7cm W: 16cm H: 16.7cm
Base L: 8cm W: 3cm H: 8cm
Material Aluminium - Opal Glass
Special Feature IP 44
Color Brushed Brass / **Code 20149**




Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 6cm W: 60cm H: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 20150**



Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 760Lm
Cri 80
Dimensions L: 6.3cm W: 9.3cm H: 31cm
Base L: 3cm W: 6cm H: 15.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP44
Color Chrome / **Code 22087**



Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1500Lm
Cri 80
Dimensions L: 9.5cm W: 60cm H: 6.3cm
Base L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP44
Color Chrome / **Code 22085**



Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2200Lm
Cri 80
Dimensions L: 9.5cm W: 90cm H: 6.3cm
Base L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP44
Color Chrome / **Code 22086**



All Codes List

1495	474	18153-B	177	19138	556	2060	212	20219	520	22027	102	22115	336	22203	304
14101	338	18153-S	177	19139	534	2061	212	20220	520	22028	602	22116	336	22204	304
14102	338	18168	178	19140	550	2062	212	20221	520	22030	510	22117	336	22205	304
14108-B	474	18179	502	19141	550	2064	373	20222	512	22032	511	22118	336	22206	154
1511-W	466	18181	448	19142	530	2065	373	20223	512	22033	320	22119	336	22207	154
1512-W	466	18190	482	19143	530	2070	126	20234	451	22034	320	22124	608	22208	152
1513-W	466	18191	482	19143-B	530	2071	126	20235	523	22035	320	22125	608	22209	152
1515	334	18192	482	19144	548	2072	128	20236	446	22038	505	22126	608	22210	152
1516	334	18193	482	19150	477	2073	128	20237	424	22039	226	22127	376	22213	458
1517	334	1902	594	19175	318	2074	374	20238	443	22040	226	22128	376	22214	476
1545	470	1910	397	19176	332	2075	374	20239	442	22041	224	22129	572	22215	174
1546	471	1929	602	19177	332	2076	374	20240	442	22042	576	22130	572	22216	180
1548	475	1930	602	19218	412	2077	374	20242	450	22043	576	22135	252	22219	306
1582	184	1931	130	19219	412	2078	370	20250	517	22044	574	22136	252	22220	306
1612	92	1932	130	19231	411	2080	370	20251	516	22045	574	22137	250	22221	178
1618	210	1933	131	19240	316	20109	500	20252	518	22047	404	22141	330	22222	154
1642	468	1935	132	19241	316	20114	120	20253	519	22048	404	22142	330	22223	154
1644	473	1936	132	19242	318	20115	120	20254	274	22049	564	22143	330	22226	463
1644-W	473	1945	394	19245	468	20116	120	20255	274	22050	564	22144	330	22227	460
1655	184	1946	395	19250	436	20117	120	20256	546	22051	284	22145	287	22228	460
1659	186	1947	96	19251	436	20118	506	20257	538	22052	284	22146	286	22229	114
1660	186	1948	96	19252	436	20119	116	20258	540	22053	284	22147	282	22230-B	260
1661	186	1956	198	19253	436	20120	116	20259	544	22054	312	22148	280	22230-G	260
1662	186	1956-D	198	19254	80	20121	118	20260	196	22055	312	22149	280	22230-W	260
1663	182	1959	400	2001	266	20122	118	20261	196	22056	278	22150	297	22231-B	260
1664	182	1965	322	2002	268	20123	506	20262	196	22057	279	22151	296	22231-G	260
1665	182	1966	322	2003	270	20124	299	20263	196	22058	278	22152	302	22231-W	260
16106	333	1967	324	2004	270	20125	299	20264	194	22059	310	22153	302	22232-B	260
16155	408	1968	324	2006	200	20126	339	20265	194	22060	310	22161	428	22232-G	260
17008	569	1970	323	2007	200	20128	88	20338	392	22061	272	22163	426	22232-W	260
17009	569	1971	325	2020	366	20129	94	20339	392	22062	272	22164	426	22233-B	260
17023-W	409	1975	472	2021	366	20130	95	20344-L	600	22063	90	22165	427	22233-G	260
17024-W	409	1976	472	2022	366	20131	263	20344-S	600	22064	92	22166	430	22233-W	260
17129	449	1985	314	2023	368	20132	262	20348-L	410	22065	508	22167	430	22230-B	260
180020	188	1986	314	2024	368	20133	264	20348-S	410	22066	496	22168	430	22230-G	260
180021	188	1987	314	2025	368	20134	264	20349	406	22067	607	22171	432	22230-W	260
180022	188	1990	478	2026	368	20135	264	20350	406	22068	607	22172	440	22231-B	260
180023	188	1992	478	2027	368	20136	276	20352	176	22069	606	22173	433	22231-G	260
180024	184	1993-B	478	2028	368	20137	276	20354	452	22070	294	22174	434	22231-W	260
180030-D	215	1993-W	478	2029	372	20142	124	20355	452	22071	294	22175	434	22232-B	260
180031-D	214	1995	290	2030	372	20143	124	22001	328	22072	294	22176	562	22232-G	260
180041	610	1996	290	2031	372	20145	612	22002	328	22073	326	22177	112	22232-W	260
180041-B	610	1997	288	2035	133	20146	612	22010	98	22074	327	22178	464	22233-B	260
180054	216	1998	288	2040	358	20149	616	22011	202	22078	300	22179	112	22233-G	260
180055	216	19103	444	2041	358	20150	617	22012	208	22079	300	22180	112	22233-W	260
180065	484	19104	438	2042	358	20152	450	22013	208	22080	300	22181	112	22234	256
180066	484	19105	438	2044	212	20154	447	22014	378	22083	536	22182	112	22235	256
180067	484	19106	438	2045	212	20155	441	22015	378	22085	619	22183	112	22236	180
180085	480	19107	438	2046	212	20159	360	22016	356	22086	619	22184	464	22237	22
180088	480	19108	444	2048	358	20167	592	22017	356	22087	618	22185	464	22239	196
180105	601	19109	444	2049	358	20184	122	22018	356	22088	614	22186	462	22240	196
18132-BR	228	19117	396	2050	358	20210	490	22019	356	22108	254	22187	460	22241	194
18135	403	19125	318	2052	212	20211	490	22020	364	22109	254	22189	458	22247	258
18138-B	106	19130	554	2053	212	20214	513	22022	100	22110	170	22194	462	22248	258
18139-B	107	19131	554	2054	212	20215	513	22023	100	22111	170	22197	456	22249	258
18139-W	107	19133	552	2056	358	20216	514	22024	104	22112	172	22198	456	22250	258
18148-B	362	19136-B	542	2057	358	20217	514	22025	104	22113	170	22200	308	22267	307
18148-W	362	19137	556	2058	358	20218	520	22026	102	22114	336	22201	308	22268	180


616

617

23001	532	23069	36	23175	140	23252	150
23002	528	23070	420	23176	144	23253	146
23003	526	23071	420	23195	416	23254	148
23004	526	23072	44	23196	422	23255	166
23005	526	23073	44	23197	418	23256	166
23006	488	23074	46	23198	82	23257	354
23007	488	23075	46	23199	82	23258	354
23008	234	23076	48	23200	84	23259	354
23009	232	23077	48	23201	84	23260	354
23010	234	23078	60	23202	86	23269	36
23011	238	23079	60	23203	86	H30	598
23012	236	23080	60	23205	352	H32	599
23013	239	23081	62	23206	352	H33	599
23014	236	23082	64	23207	352	H35	590
23015	298	23084	57	23208	352	H41	566
23016	76	23085	57	23209	352	H43	585
23017	76	23086	348	23210	352	H47	580
23018	74	23087	348	23211	352	H48-B	580
23019	73	23088	348	23212	352	H48-G	580
23020	72	23089	348	23213	352	H52	571
23021	74	23090	348	23214	240	H54	571
23022	58	23091	348	23215	242	H57	586
23023	58	23092	350	23216	242	H58	592
23024	344	23093	350	23217	240	H59	586
23025	344	23094	24	23218	242	H61	591
23026	344	23095	24	23219	242	H63	581
23027	344	23096	26	23220	380	H64	578
23028	34	23097	346	23221	380	H64-B	578
23029	34	23098	26	23222	380	H65	582
23032	204	23099	346	23223	380	H67	582
23033	204	23100	27	23224	380	H68	582
23034	206	23101	27	23225	380	H69	584
23035	206	23102	28	23226	380	H71	589
23036	498	23103	28	23227	108	H72	565
23037	499	23104	386	23228	108	H73	588
23038	579	23105	386	23229	110	H74	570
23039	560	23106	30	23230	110	H75	570
23040	560	23107	30	23231	244	H80	567
23041	402	23108	78	23232	244	S104	603
23042	342	23109	78	23233	142	S106	603
23045	220	23135	292	23234	142	S107	603
23046	220	23136	292	23235	142		
23047	222	23137	292	23236	142		
23048	220	23160	68	23237	160		
23049	222	23161	68	23238	160		
23050	222	23162	66	23239	158		
23051	18	23163	70	23240	158		
23052	18	23164	52	23241	168		
23053	40	23165	52	23242	168		
23054	40	23166	52	23243	164		
23055	42	23167	52	23244	164		
23060	38	23168	54	23245	164		
23061	38	23169	54	23246	164		
23062	36	23170	50	23247	162		
23063	38	23171	50	23248	162		
23064	38	23172	136	23249	162		
23065	36	23173	138	23250	162		
23066	36	23174	140	23251	20		



ZAMPELIS S.A.
Greece , Attica , Keratea , Kivouri
Postal: 19001 , P.O. box: 4791
Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr




ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr



OUTDOOR LIGHTING



Z Zambelis
LIGHTS

INDEX



01. PORTABLE | p.008-019

02. FLOOR & WALL | p.020-077

03. WALL | p.078-129

04. SPIKES | p.130-163

05. STEP | p.164-185

06. CEILING | p.186-199

07. INGROUND | p.200-213

08. WALL WASHER | p.214-221



OUTDOOR LIGHTING



Zambelis
LIGHTS

OUTDOOR LIGHTING



E370 p.10 E314 p.12 E400 p.14 E401 p.15 E291 p.16 E193 p.18 E368 p.22



E238 p.86 E274 p.88 E272 p.89 E197 p.90 E199 p.91 E243 p.92 E245 p.92



E297 p.24 E351 p.26 E345 p.28 E354 p.30 E356 p.32 E357 p.34 E367 p.36



E318 p.94 E114 p.95 E195 p.96 E261 p.98 E227 p.99 E156 p.100 E159 p.101




E355 p.36 E325 p.38 E249 p.40 E384 p.42 E192 p.44 E254 p.46 E336 p.48



E149 p.102 E124 p.104 E122 p.104 E306 p.106 E150 p.106 E186 p.108 E305 p.110



E335 p.48 E204 p.50 E298 p.52 E302 p.54 E295 p.56 E132 p.58 E277 p.60



E168 p.112 E216 p.112 E343 p.114 E341 p.116 E275 p.116 E342 p.118 E263 p.120




E348 p.62 E339 p.64 E208 p.66 E206 p.68 E256 p.70 E211 p.70 E337 p.72



E202 p.122 E296 p.122 E268 p.124 E271 p.124 E266 p.126 E267 p.128 E372 p.132



E235-12D p.74 E250-12D p.76 E315 p.80 E317 p.81 E287 p.82 E273 p.84 E278 p.85



E329 p.134 E350 p.136 E349 p.136 E404 p.138 E286 p.140 E285 p.140 E284 p.142

OUTDOOR LIGHTING



E153 p.144



E152 p.145



E177-B p.146



E292 p.148



E293 p.149



E281 p.150



E283 p.152



E279 p.154



E299 p.156



E280 p.158



E312 p.160



E310 p.162




E217 p.162



E321 p.166



E320 p.166



E319 p.166



E322 p.168



E301 p.170



E288 p.170



E324 p.172



E347 p.174



E247-G p.176




E246-W p.176




E241-G p.178



E242-W p.178



E294 p.179



E229 p.180



E184 p.182



E181 p.182



E187 p.184



E248 p.185



E333 p.188



S131 p.190




S113 p.192



E340 p.192



E220 p.194




E309 p.194




E270 p.196



E327 p.198



E363 p.202



E362 p.202



E364 p.204



Z69058-B p.204



E178 p.206



E180 p.206



E361 p.208



E360 p.208



E359 p.210



E189 p.210



E366 p.212



E365 p.212



E380 p.216



E379 p.216



E382 p.216



E377 p.218





E375 p.218

OUTDOOR LIGHTING



PORTABLE | p.008-019





Power 1.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 125Lm
Cri 80
IP 54
Dimensions Ø: 6.6cm H: 26.8cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminium - PC Diffuser
Special Feature Shade Ø: 6.6cm H: 5.9cm
Portable Table Lamp
Charging Base with USB Cable Included


Color Black / **Code E369**
Color Brick / **Code E370**
Color Sand / **Code E371**





Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 99Lm
Cri 80
IP 54
Dimensions Ø: 12cm H: 32cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminium - PC Diffuser
Special Feature Portable Table Lamp
USB Cable & Adaptor Included


Color Sandy Black / **Code E314**
Color Sandy White / **Code E313**





Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 168Lm
Cri 80
IP 44
Dimensions Ø: 5.5cm H: 26.5cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminium - PC Diffuser
Special Feature Portable Table Lamp
Charging Base with USB Cable Included

Color White / **Code E398**
Color Black / **Code E399**
Color Green / **Code E400**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 142Lm
Cri 80
IP 44
Dimensions Ø: 11.8cm H: 10cm
Shade Ø: 11.8cm H: 2cm
3 Steps Dimming 10%, 50%, 100%
Material Plastic
Special Feature Portable Table Lamp
USB Cable Included

Color White / **Code E401**
Color Black / **Code E402**








Dimmer Switch


12

30

Power	2.2W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Cri	80
IP	54
Dimensions	Ø: 12cm H: 30cm
3 Steps Dimming	10%, 50%, 100%
Material	Aluminium - PC Diffuser
Special Feature	Shade Ø: 12cm H: 5cm Portable Table Lamp USB Cable & Adaptor Included
Color	Sandy Black / Code E289
Color	Sandy White / Code E290
Color	Gold Matt / Code E291




Touch Dimming






Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 260Lm
Cri 80
IP 54
Dimensions Ø: 10.5cm H: 38cm
Shade Ø: 11cm H: 11cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminium - PC Diffuser
Special Feature Portable Table Lamp
USB Cable & Adaptor Included

Color Sandy White / **Code E193**
Color Sandy Black / **Code E194**






FLOOR & WALL | p.020-077



Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 638Lm
Cri 80
IP 65
Dimensions L: 4.7cm W: 16.4cm H: 20cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E353**




Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 986Lm
Cri 80
IP 65
Dimensions L: 8m W: 16.6cm H: 60cm
Material Aluminium - Tempered Glass
Special Feature Double Sided Lighting
Color Graphite / **Code E368**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 710Lm
Cri 80
IP 54
Dimensions L: 13.5cm W: 10cm H: 65cm
Beam Angle 120°
Material Aluminium - Tempered Glass
Color Graphite / **Code E297**






Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 767Lm
Cri 80
IP 65
Dimensions L: 10cm W: 9cm H: 9cm
Material Aluminium
Special Feature Up - Down Lighting
Color Graphite / **Code E352**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 767Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9cm H: 50cm
Material Aluminium
Special Feature Double Sided Lighting
Color Graphite / **Code E351**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 919Lm
Cri 80
IP 65
Dimensions Ø: 12cm L: 15.5cm H: 21.3cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E344**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 923Lm
Cri 80
IP 65
Dimensions Ø: 12cm H: 50cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E345**






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	639Lm
Cri	80
IP	54
Dimensions	L: 12.8cm W: 12.8cm H: 50cm
Material	Aluminium - PC Diffuser
Special Feature	2 European Sockets 220-240V
Color	Graphite / Code E354






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 993Lm
Cri 80
IP 65
Dimensions L: 13cm W: 13cm H: 50cm
Beam Angle 120°
Material Aluminium - PC Diffuser
Special Feature Double Sided Lighting
Color Graphite / **Code E356**






Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1035Lm
Cri 80
IP 65
Dimensions L: 16.5cm W: 14cm H: 15cm
Beam Angle 120°
Material Aluminium - PC Diffuser
Color Graphite / **Code E358**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1035Lm
Cri 80
IP 65
Dimensions L: 19.5cm W: 14cm H: 50cm
Beam Angle 120°
Material Aluminium - PC Diffuser
Color Graphite / **Code E357**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 658Lm
Cri 80
IP 67
Dimensions L: 11cm W: 11cm H: 60cm
Beam Angle 120°
Material Aluminium - Clear Glass
Color Graphite / **Code E367**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 533Lm
Cri 80
IP 54
Dimensions L: 10.2cm W: 10.2cm H: 50cm
Beam Angle 120°
Material Aluminium - PC Diffuser
Color Graphite / **Code E355**






Bulb	1x GU10
Power	15W MAX
Input	220-240V, 50/60Hz
IP	54
Dimensions	L: 11.5cm W: 5.5cm H: 60cm
Base	Ø: 11.5cm H: 3cm
Spot Dimensions	Ø: 5.5cm L: 9.5cm
Material	Aluminium - Tempered Glass
Special Feature	Movable Spot Honeycomb Included
Color	Graphite / Code E325






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 920Lm
Cri 80
IP 54
Dimensions Ø: 15cm L: 5.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E237**




Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 792Lm
Cri 80
IP 65
Dimensions Ø: 15cm H: 100cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E249**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 80
IP 65
Dimensions L: 19cm W: 28cm H: 70.4cm
Material Concrete
Color Natural Concrete / **Code E383**




Power 2x 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 780Lm
Cri 80
IP 65
Dimensions Ø: 28cm H: 70.4cm
Material Concrete
Color Natural Concrete / **Code E384**







Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 90
IP 54
Dimensions L: 15cm W: 16cm H: 30cm
Base L: 21cm W: 23cm
Material Concrete
Color Natural Concrete / **Code E191**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 90
IP 54
Dimensions L: 15cm W: 16cm H: 70cm
Base L: 21cm W: 23cm
Material Concrete
Color Natural Concrete / **Code E192**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 90
IP 54
Dimensions L: 10cm W: 28cm H: 35cm
Base L: 19cm W: 37cm
Material Concrete
Color Natural Concrete / **Code E190**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 340Lm
Cri 80
IP 65
Dimensions L: 9.7cm W: 9.1cm H: 10.5cm
Beam Angle 36°
Dimmable Triac 
Material Concrete - Aluminium
Color Natural Concrete / **Code E253**




Power 2x 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
IP 65
Dimensions L: 9.7cm W: 9.1cm H: 20cm
Beam Angle 36°
Dimmable Triac 
Material Concrete - Aluminium
Color Natural Concrete / **Code E254**







Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 481Lm
Cri 80
IP 65
Dimensions L: 12cm W: 15cm H: 26cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E336**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 587Lm
Cri 80
IP 65
Dimensions L: 8.5cm W: 23cm H: 20cm
Material Aluminium - Clear Glass
Color Graphite / **Code E334**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 587Lm
Cri 80
IP 65
Dimensions L: 8.5cm W: 23cm H: 50cm
Material Aluminium - Clear Glass
Color Graphite / **Code E335**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 704Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 23cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E203**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 704Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 80cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E204**






Power	9W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1180Lm
Cri	90
IP	54
Dimensions	Ø: 9cm H: 65cm
Beam Angle	120°
Material	Aluminium - Tempered Glass
Color	Graphite / Code E298




LED






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 390Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 51
Switch 1 Switch On/Off
Material Aluminium - Tempered Glass
Special Feature Solar Panel
Portable Lamp
USB Cable Included
Color Graphite / **Code E302**






Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 210Lm
Cri 80
IP 65
Dimensions L: 15.6cm W: 14.5cm H: 24cm
Material Aluminium - PC Diffuser
Special Feature Solar Panel
3 Different Ways of Lighting
Sense Distance 3 - 5m
Color Graphite / **Code E295**







Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 867Lm
Cri 80
IP 54
Dimensions Ø: 11cm H: 25cm
Material Aluminium
Color Graphite / **Code E133**




Power 3x 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1117Lm
Cri 80
IP 54
Dimensions Ø: 12cm H: 45cm
Material Aluminium
Color Graphite / **Code E132**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 990Lm
Cri 80
IP 54
Dimensions L: 12.5cm W: 9cm H: 24cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E276**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 993Lm
Cri 80
IP 54
Dimensions Ø: 9cm H: 65cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E277**






Power 17W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1488Lm
Cri 80
IP 65
Dimensions Ø: 16cm H: 220cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E348**






Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 20.5cm W: 12.5cm H: 30.5cm
Base L: 3cm W: 7.5cm H: 28.5cm
Shade Dimensions Ø: 12.5cm H: 24cm
Material Aluminium - Clear Diffuser
Color Sandy Black / **Code E338**





Bulb 2x E27
Power 15W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 12.5cm W: 41.5cm H: 220cm
Base Ø: 14.5cm H: 3cm
Shade Dimensions Ø: 12.5cm H: 24cm
Material Aluminium - Clear Diffuser
Color Sandy Black / **Code E339**







Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
IP 54
Dimensions L: 12cm W: 15cm H: 5.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E207**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 653Lm
Cri 80
IP 54
Dimensions L: 15cm W: 5.5cm H: 78cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E208**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 785Lm
Cri 80
IP 54
Dimensions L: 19.5cm W: 6cm H: 20.7cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E205**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 785Lm
Cri 80
IP 54
Dimensions L: 17cm W: 6cm H: 78cm
Base W: 10cm L: 10cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E206**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 5cm W: 10cm H: 25
Material Aluminium - PC Diffuser
Color Rusty Brown / **Code E256**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 65
Dimensions L: 5cm W: 10cm H: 25
Material Aluminium - PC Diffuser
Special Feature Double Side Lighting
Color Graphite / **Code E257**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 54
Dimensions L: 12cm W: 7cm H: 25cm
Material Aluminium
Color Graphite / **Code E211**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 557Lm
Cri 80
IP 65
Dimensions Ø: 15cm H: 15cm
Material Aluminium - Clear Diffuser
Color Graphite / **Code E337**






Bulb 1x GU10
Power 11W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 8cm L: 14.3cm
Base Ø: 7cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E236**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1243Lm
Cri 80
IP 65
Dimensions Ø: 8cm L: 16.2cm
Base Ø: 7cm
Optic 32°
Material Aluminium - Tempered Glass
Color Graphite / **Code E235**



Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1243Lm
Cri 80
IP 65
Dimensions Ø: 8cm L: 16.2cm
Base Ø: 7cm
Optic 12°
Material Aluminium - Tempered Glass
Color Graphite / **Code E235-12D**





Power 4x 2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 38°
Material Aluminium - Tempered Glass
Color Dark Grey / **Code E250**




Power 4x 2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 12°
Material Aluminium - Tempered Glass
Color Dark Grey / **Code E250-12D**




Wall / Ground Base
Material Aluminium
Color Dark Grey / **Code E251**




WALL | p.078-129



Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 775Lm
Cri 90
IP 54
Dimensions L: 6.5cm W: 18.3cm H: 3.5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E315**




Power 2x 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 929Lm
Cri 90
IP 54
Dimensions L: 11cm W: 10cm H: 6.5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E317**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 544Lm
Cri 90
IP 54
Dimensions L: 11cm W: 10cm H: 6.1cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E316**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1187Lm
Cri 80
IP 65
Dimensions L: 9.5cm W: 4.5cm H: 80cm
Base L: 9cm W: 4.5cm H: 12.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E287**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 572Lm
Cri 80
IP 54
Dimensions L: 6.5cm W: 15cm H: 15cm
Beam Angle 45°
Material Aluminium - Tempered Glass
Color Graphite / **Code E273**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 752Lm
Cri 80
IP 54
Dimensions L: 12cm W: 13cm H: 5.1cm
Beam Angle 120°
Material Aluminium - PC Diffuser
Color Graphite / **Code E278**







Power 2x 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 11cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E238**




Power 2x 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 17.5cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E239**




Power 2x 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 30cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E240**






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 900Lm
Cri 80
IP 54
Dimensions L: 10cm W: 16cm H: 7.7cm
Material Aluminium - PC Diffuser
Special Feature Up - Down Lighting
Color Graphite / **Code E274**






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 796Lm
Cri 80
IP 54
Dimensions L: 5cm W: 18cm H: 11cm
Beam Angle 30°
Material Aluminium - Tempered Glass - PC Diffuser
Special Feature Up - Down Lighting
12x SMD LED

Color Graphite / **Code E272**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 336Lm
Cri 80
IP 65
Dimensions L: 6cm W: 11cm H: 11cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E197**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.8cm W: 16cm H: 10-16cm
Material Aluminium - PC Diffuser
Special Feature Movable
Color Graphite / **Code E199**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 6cm W: 15cm H: 15cm
Material Aluminium - Glass
Color Graphite / **Code E243**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 9.2cm W: 22.4cm H: 22.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E245**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 498Lm
Cri 80
IP 54
Dimensions L: 9cm W: 9.5cm H: 24cm
Material Aluminium - PC Diffuser
Color Black / **Code E318**





Power 2x 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 540Lm
Cri 80
IP 54
Dimensions L: 11cm W: 13cm H: 14.8cm
Material Aluminium - PC Diffuser
Special Feature Up - Down Lighting
Color Graphite / **Code E114**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.2cm W: 16cm H: 15.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E195**







Bulb 1x E27
Power 18W MAX
Input 220-240V, 50/60Hz
IP 44
Dimensions L: 12cm W: 22cm H: 9cm
Material Alumunium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E146**





Power 2x 13.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1359Lm
Cri 80
IP 65
Dimensions L: 10.6cm W: 22cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Dark Grey / **Code E261**
Color Dark Brown / **Code E262**



Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2263Lm
Cri 80
IP 65
Dimensions L: 7.5cm W: 50cm H: 6.5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E227**



OUTDOOR LIGHTING | WALL








Power 2x 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 6.5cm W: 11cm H: 17.5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E135**
Color Sandy White / **Code E156**




Power 2x 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 8.2cm W: 8cm H: 8cm
Material Aluminium - Tempered Glass
Special Feature Movable
Up - Down Lighting

Color Graphite / **Code E109**
Color Sandy White / **Code E159**






Bulb 1x E27
Power 18W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 7cm W: 24cm H: 14cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E149**




Bulb 1x E27
Power 18W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 16.5cm W: 16.5cm H: 17.1cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E127**




Bulb 1x E27
Power 18W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 12.6cm W: 26cm H: 12.5cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E128**







Bulb 2x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E124**



Bulb 1x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E123**




Bulb 2x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Graphite / **Code E122**




Bulb 1x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E121**







Bulb 2x GU10 LED
Power 7W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.5cm W: 6.8cm H: 15cm
Material ABS - Acrylic
Special Feature Up - Down Lighting
Color Sandy Black / **Code E307**



Bulb 1x GU10 LED
Power 7W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.5cm W: 6.8cm H: 7.5cm
Material ABS - Acrylic
Color Sandy Black / **Code E306**




Bulb 2x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Sandy White / **Code E151**




Bulb 1x GU10
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Tempered Glass
Color Sandy White / **Code E150**






Bulb 1x GU10
Power 9W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø 7.6cm L: 9.9cm H: 14.8cm
Material ABS - PC Diffuser
Color White / **Code E185**




Bulb 2x GU10
Power 9W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 7.6cm L: 9.9cm H: 18.6cm
Material ABS - PC Diffuser
Special Feature Up - Down Lighting
Color White / **Code E186**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 65
Dimensions Ø: 16.5cm L: 5.8cm
Material ABS - PC Diffuser
Color Sandy Black / **Code E305**
Color Sandy White / **Code E304**







Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 653Lm
Cri 80
IP 54
Dimensions L: 7.5cm W: 22cm H: 3.2cm
Material Aluminium - Tempered Glass
Color Sandy White / **Code E168**




Power 2x 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 320Lm
Cri 80
IP 65
Dimensions L: 3cm W: 8.3cm H: 12.3cm
Material ABS - PC Diffuser
Special Feature Up - Down Lighting
Color White / **Code E216**






Bulb	1x E27
Power	15W MAX
Input	220-240V, 50/60Hz
IP	65
Dimensions	L: 20.5cm W: 14.5cm H: 43cm
Base	L: 3.3cm W: 9cm H: 9cm
Material	Aluminium - Clear Diffuser
Color	Dark Brown / Code E343






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 929Lm
Cri 80
IP 65
Dimensions L: 8cm W: 11.2cm H: 20.5cm
Material Aluminium - PC Diffuser
Color Dark Brown / **Code E341**




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9cm W: 20cm H: 10cm
Material Aluminium - PC Diffuser
Color Dark Brown / **Code E275**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
IP 65
Dimensions Ø: 18.8cm L: 9.5cm
Material Aluminium - PC Diffuser
Color Dark Brown / **Code E342**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 816Lm
Cri 80
IP 65
Dimensions L: 12.6cm W: 15cm H: 28cm
Material Aluminium - Opal PC Diffuser
Color Dark Brown / **Code E263**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Aluminium - PC Diffuser
Color Sandy Black / **Code E202**




Bulb 1x E27
Power 15W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Aluminium - Clear Diffuser
Color Sandy Black / **Code E201**




Bulb 2x E27
Power 15W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9cm W: 8.6cm H: 34.8cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E296**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 530Lm
Cri 80
IP 65
Dimensions L: 16.5cm W: 16cm H: 5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lighting
Color Dark Brown / **Code E268**


 



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
IP 65
Dimensions L: 12.8cm W: 18.3cm H: 20cm
Material Aluminium
Color Dark Brown - Sandy White / **Code E271**


 





Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
IP 65
Dimensions L: 9.6cm W: 30cm H: 12cm
Material Aluminium - Opal PC Diffuser
Special Feature Up - Down Lighting
Color Dark Grey / **Code E265**
Color Dark Brown / **Code E266**






Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1106Lm
Cri 80
IP 65
Dimensions Ø: 18.3cm L: 13cm
Material Aluminium - Opal PC Diffuser
Special Feature Movable Light
Color Dark Brown / **Code E267**




SPIKES | p.130-163



Power 3W
Input 24V
Color Temperature 3000K
Lumen 180Lm
Cri 80
IP 65
Dimensions Ø: 2.6cm H: 60cm
Base Ø: 10cm H: 2cm
Material Aluminium - Acrylic
Special Feature 30cm Cable Available
Spike & Base Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-6 pcs

Color Dark Brown / **Code E372**



Power 3W
Input 24V
Color Temperature 3000K
Lumen 180Lm
Cri 80
IP 65
Dimensions Ø: 2.6cm H: 100cm
Base Ø: 10cm H: 2cm
Material Aluminium - Acrylic
Special Feature 30cm Cable Available
Spike & Base Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-6 pcs

Color Dark Brown / **Code E373**




Driver
Power 20W
Input 220-240V, 50/60Hz
Output 24V
Dimensions L: 12cm W: 4cm H: 2.5cm
IP 20



Waterproof Connection Box 1in / 1out , 16A , 450V
IP 67
Color Black / **Code Z0800-BA**





Power 1W
Input 24V
Color Temperature 2700K
Lumen 58Lm
Cri 80
IP 65
Dimensions Ø: 1cm H: 80cm
Material Stainless Steel - PC Diffuser
Special Feature 100cm Cable Available
Spike Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-19 pcs
Color Dark Brown / **Code E330**
Color Dark Green / **Code E331**



Power 1W
Input 24V
Color Temperature 2700K
Lumen 58Lm
Cri 80
IP 65
Dimensions Ø: 1cm H: 30cm
Material Stainless Steel - PC Diffuser
Special Feature 100cm Cable Available
Spike Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-19 pcs
Color Dark Brown / **Code E328**
Color Dark Green / **Code E329**




Driver
Power 20W
Input 220-240V, 50/60Hz
Output 24V
Dimensions L: 12cm W: 4cm H: 2.5cm
IP 20




Waterproof Connection Box 1in / 1out , 16A , 450V
IP 67
Color Black / **Code Z0800-BA**





Power 3W
Input 24V
Color Temperature 3000K
Lumen 228Lm
Cri 90
IP 65
Dimensions L: 3cm W: 3.5cm H: 5cm
Beam Angle 36°
Material Aluminium - Tempered Glass
Special Feature 30cm Cable Available
Movable Spot
Spike Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-6 pcs
Color Graphite / **Code E350**



Power 3W
Input 24V
Color Temperature 3000K
Lumen 228Lm
Cri 90
IP 65
Dimensions Ø: 3cm L: 3.5cm H: 5cm
Beam Angle 36°
Material Aluminium - Tempered Glass
Special Feature 30cm Cable Available
Movable Spot
Spike Included
Recommended Driver D-20-24 (Not Included)
In Parallel Connection 1-6 pcs
Color Graphite / **Code E349**



Driver
Power 20W
Input 220-240V, 50/60Hz
Output 24V
Dimensions L: 12cm W: 4cm H: 2.5cm
IP 20



Waterproof Connection Box 1in / 1out , 16A , 450V
IP 67
Color Black / **Code Z0800-BA**






Power 2.3W
Input 3.2V , 700mA
Color Temperature 2700K
Lumen 130Lm
Cri 80
IP 54
Dimensions Ø: 2.2cm L: 7cm H: 3.2cm
Beam Angle 40°
Material Brush
Special Feature 60cm Cable Available
Movable Spot
Spike Included
Optional In Special RAL
V350-1050 (Not Included)
In Series Connection 1-9 pcs

Recommended Driver

Color



Natural Brush / **Code E403**



Power 2.3W
Input 3.2V , 700mA
Color Temperature 3000K
Lumen 130Lm
Cri 80
IP 54
Dimensions Ø: 2.2cm L: 7cm H: 3.2cm
Beam Angle 40°
Material Brush
Special Feature 60cm Cable Available
Movable Spot
Spike Included
Optional In Special RAL
V350-1050 (Not Included)
In Series Connection 1-9 pcs

Recommended Driver

Color



Natural Brush / **Code E404**




Driver

V350-1050


Power 34W
Input 220-240V, 50/60Hz
Output 2 - 32V
Dimensions L: 15cm W: 4cm H: 3cm
IP 20





Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 740Lm
Cri 80
IP 65
Dimensions L: 7cm W: 7cm H: 25cm
Base Ø: 6cm H: 0.5cm
Beam Angle 40°
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Movable Spot
Spike & Base Included
Waterproof Connector Included


Color Graphite / **Code E286**



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 740Lm
Cri 80
IP 65
Dimensions Ø: 7.5cm L: 13cm H: 25cm
Base Ø: 6cm H: 0.5cm
Beam Angle 40°
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Movable Spot
Spike & Base Included
Waterproof Connector Included


Color Graphite / **Code E285**






Bulb 1x GU10
Power 20W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 7.5cm L: 13cm H: 25cm
Base Ø: 6cm H: 0.5cm
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Movable Spot
Spike & Base Included
Waterproof Connector Included
Color Dark Brown / **Code E284**





Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 516Lm
Cri 80
IP 65
Dimensions Ø: 5.6cm H: 15cm
Beam Angle 36°
Material Aluminium - Tempered Glass
Special Feature 20cm Cable Available
Movable Spot
Spike Included


Color Graphite / **Code E152**



Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 380Lm
Cri 80
IP 65
Dimensions Ø: 6.1cm H: 9cm
Beam Angle 36°
Material Aluminium - Tempered Glass
Special Feature 20cm Cable Available
Movable Spot
Spike Included


Color Graphite / **Code E153**





Power 2.1W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 168Lm
Cri 80
IP 54
Dimensions L: 8cm H: 8.5cm
Base Ø: 6.6cm H: 4.2cm
Beam Angle 10°-60°
Material Aluminium - Stainless Steel
Special Feature 60cm Cable Available
Stick Ø: 3.2cm H: 8cm
Spike Included

Color Sandy Black / **Code E177-B**



Power 2.1W
Input 3V , 700mA
Color Temperature 2700K
Lumen 168Lm
Cri 80
IP 54
Dimensions L: 8cm H: 8.5cm
Beam Angle 10-60°
Material Aluminium - Stainless Steel
Special Feature 60cm Cable Available
Stick Ø: 3.2cm H: 8cm
Spike Included

Recommended Driver V350-1050 (Not Included)
In Series Connection 1-10 pcs



Color Sandy Black / **Code E177-A**



Driver
Power 34W
Input 220-240V, 50/60Hz
Output 2 - 32V
Dimensions L: 15cm W: 4cm H: 3cm
IP 20


V350-1050





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 522Lm
Cri 90
IP 65
Dimensions L: 18cm W: 12cm H: 102cm
Base Ø: 10.5cm H: 1cm
Shade Dimensions Ø: 12cm H: 3.5cm
Beam Angle 36°
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Movable - Rotational Spot
Spike & Base Included

Color Graphite / **Code E292**



Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 629Lm
Cri 90
IP 65
Dimensions Ø: 12cm H: 63.5cm
Base Ø: 10.5cm H: 1cm
Shade Dimensions Ø: 12cm H: 3.5cm
Material Aluminium - Tempered Glass
Special Feature 50cm Cable Available
Asymmetric Beam Angle
Spike & Base Included


Color Graphite / **Code E293**





Bulb 1x GU10
Power 20W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 10cm W: 10cm H: 60cm
Material Aluminium - Tempered Glass
Special Feature 50cm Cable Available
Spike Included
Recommended Base E282-SP / Not Included

Color Graphite / **Code E281**



Bulb 1x GU10
Power 20W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 10cm W: 10cm H: 100cm
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Spike Included
Recommended Base E282-SP / Not Included


Color Graphite / **Code E282**



Base for E281 - E282
Dimmensions Ø: 9.5cm H: 2cm
Material Aluminium


Color Graphite / **Code E282-SP**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 522Lm
Cri 80
IP 65
Dimensions L: 10cm W: 10cm H: 60cm
Base Ø: 9.5cm H: 2cm
Beam Angle 40°
Material Aluminium - Tempered Glass
Special Feature 50cm Cable Available
Spike & Base Included
Color Graphite / **Code E283**





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm
Cri 80
IP 65
Dimensions L: 20cm W: 4.5cm H: 60cm
Beam Angle 40°
Material Aluminium - Tempered Glass
Special Feature 40cm Cable Available
Spike Included
Color Dark Brown / **Code E279**






Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1162Lm
Cri 90
IP 54
Dimensions L: 11cm W: 11cm H: 70cm
Base Ø: 8cm H: 0.5cm
Beam Angle 40°
Spots Ø: 5-7cm L: 11cm
Material Aluminium - Tempered Glass
Special Feature 110cm Cable Available (2 pcs)
Movable - Rotational Spots
Base Included

Color Dark Brown / **Code E299**







Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1550Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 2.5cm H: 100cm
Base Ø: 9.5cm H: 2cm
Material Aluminium - Opal PC Diffuser
Special Feature 40cm Cable Available
Spike & Base Included
Profile 2.5 x 2.5cm

Color Dark Brown / **Code E280**






Bulb 1x GU10 LED
Power 7W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 6cm L: 11cm H: 6.2cm
Material ABS - PC Diffuser
Special Feature 30cm Cable Available
Movable Spot
Without Spike
Color Black / **Code E311**




Bulb 1x GU10 LED
Power 7W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 6cm L: 11cm H: 6.2cm
Material ABS - PC Diffuser
Special Feature 30cm Cable Available
Movable Spot
Spike Included
Color Black / **Code E312**






Bulb 1x GU10 LED
Power 7W MAX
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 8.6cm L: 15.5cm H: 7.3cm
Material ABS - Tempered Glass
Special Feature 30cm Cable Available
Movable Spot
Spike Included
Color Black / **Code E310**




Bulb 1x GU10 LED
Power 5W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 6cm H: 16cm
Material ABS - PC Diffuser
Special Feature 30cm Cable Available
Movable Spot
Spike Included
Color Black / **Code E217**




STEP | p.164-185







Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 92Lm
Cri 90
IP 65
Dimensions Ø: 7cm L: 6.5cm
Material Aluminium - Tempered Glass
Depth Required 6cm
Recessed Mounting Box Ø: 5.5cm L: 6cm (Included)
Color Sandy White / **Code E321**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 133Lm
Cri 90
IP 65
Dimensions Ø: 7cm L: 6.5cm
Material Aluminium - Tempered Glass
Depth Required 6cm
Recessed Mounting Box Ø: 5.5cm L: 6cm (Included)
Color Sandy White / **Code E320**





Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 133Lm
Cri 90
IP 65
Dimensions L: 7.5cm W: 7cm H: 7cm
Material Aluminium - Tempered Glass
Depth Required 7cm
Recessed Mounting Box Ø: 5.5cm L: 7cm (Included)
Color Sandy White / **Code E319**






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 92Lm
Cri 90
IP 65
Dimensions L: 6.5cm W: 5cm H: 13.5cm
Material Aluminium - Tempered Glass
Depth Required 6cm
Recessed Mounting Box L: 6cm W: 4.3cm H: 12.6cm (Included)
Color Sandy White / **Code E322**







Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 230Lm
Cri 90
IP 65
Dimensions Ø: 6.5cm L: 6cm
Material Aluminium - PC Diffuser
Depth Required 6cm
Recessed Mounting Box Ø: 5.5cm L: 6cm (Included)
Color Sandy Black / **Code E300**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 290Lm
Cri 90
IP 65
Dimensions Ø: 6.5cm L: 6cm
Material Aluminium - PC Diffuser
Depth Required 6cm
Recessed Mounting Box Ø: 5.5cm L: 6cm (Included)
Color Sandy Black / **Code E301**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 200Lm
Cri 80
IP 65
Dimensions Ø: 5cm L: 9cm
Material Stainless Steel- PC Diffuser
Depth Required 8cm
Recessed Mounting Box Ø: 4.2cm L: 8cm (Included)
Color Stainless Steel / **Code E288**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 302Lm
Cri 80
IP 65
Dimensions L: 6.5cm W: 13.8cm H: 5.5cm
Material Aluminium - Tempered Glass
Depth Required 6cm
Recessed Mounting Box L: 6cm W: 13cm H: 4cm (Included)
Color Graphite / **Code E324**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 195Lm
Cri 80
IP 65
Dimensions L: 6.5cm W: 8.5cm H: 5.5cm
Material Aluminium - Tempered Glass
Depth Required 6cm
Recessed Mounting Box L: 6cm W: 8cm H: 4cm (Included)

Color Graphite / **Code E323**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
IP 65
Dimensions L: 3.5cm W: 22.7cm H: 12.7cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E347**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
IP 65
Dimensions L: 3.5cm W: 12.7cm H: 22.7cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E346**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 188Lm
Cri 80
IP 65
Dimensions L: 6cm W: 14cm H: 7cm
Depth 6cm
Material Aluminium - PC Diffuser
Recessed Mounting Box L: 6cm W: 13cm H: 6cm (Included)
Color Graphite / **Code E247-G**
Color Sandy White / **Code E247-W**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 65Lm
Cri 80
IP 65
Dimensions L: 6cm W: 9cm H: 9cm
Depth 6cm
Material Aluminium - PC Diffuser
Recessed Mounting Box L: 6cm W: 6cm H: 8cm (Included)
Color Graphite / **Code E246-G**
Color Sandy White / **Code E246-W**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 3.7cm W: 15cm H: 15cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E241-G**
Sandy White / **Code E241-W**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions Ø: 15cm L: 3.7cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E242-G**
Sandy White / **Code E242-W**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 190Lm
Cri 80
IP 65
Dimensions Ø: 10.5cm L: 3.7cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E294**






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 132Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 23cm H: 8cm
Material ABS
Color Graphite / **Code E229**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 69Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
Material ABS
Color Graphite / **Code E230**






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 92Lm
Cri 80
IP 54
Dimensions Ø: 13.5cm L: 3.2cm
Material ABS
Color Graphite / **Code E183**
White / **Code E184**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 88Lm
Cri 80
IP 54
Dimensions L: 3.3cm W: 10cm H: 6cm
Material ABS
Color Graphite / **Code E181**
White / **Code E182**





Power 1.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 90Lm
Cri 80
IP 65
Dimensions L: 1.5cm W: 9cm H: 12cm
Material ABS - PC Diffuser
Color White / **Code E187**




Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 185Lm
Cri 80
IP 65
Dimensions L: 6cm W: 9cm H: 9cm
Depth 6cm
Material Aluminium - Tempered Glass
Recessed Mounting Box L: 6cm W: 8cm H: 8cm (Included)
Color Black / **Code E248**




CEILING | p.186-199




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 757Lm
Cri 90
IP 65
Dimensions L: 15.7cm W: 5cm H: 6.8cm
Cutting Hole 14.2 x 3.5cm
Beam Angle 40°
Non Dimmable ☒
Material Stainless Steel - Aluminium - Tempered Glass
Depth Required JT: 6cm
Driver Included
Color Sandy Black / **Code E332**
Color Sandy White / **Code E333**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 561Lm
Cri 90
IP 54
Dimensions Ø: 8cm H: 5.5cm
Beam Angle 120°
Material Aluminium
Color Sandy Black / **Code S131**
Color Sandy White / **Code S132**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 454Lm
Cri 80
IP 54
Dimensions Ø: 6.5cm H: 4.5cm
Beam Angle 120°
Material Aluminium
Color Sandy Black / **Code S133**
Color Sandy White / **Code S134**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm
Cri 90
IP 54
Dimensions Ø: 6.3cm H: 7.5cm
Beam Angle 20°
Material Aluminium - Glass
Special Feature Driver Included
Color Sandy Black / **Code S112**
Color Sandy White / **Code S113**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 597Lm
Cri 80
IP 65
Dimensions Ø: 9cm H: 11cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E340**





Bulb
Power
Input
IP
Dimensions
Material
Color
Color


1x GU10 LED
7W MAX
220-240V, 50/60Hz
54
Ø: 6cm H: 10.5cm
Aluminium - Glass Diffuser
Sandy Black / **Code E219**
Sandy White / **Code E220**



Bulb
Power
Input
IP
Dimensions
Material
Color
Color

1x GU10 LED
7W MAX
220-240V, 50/60Hz
54
Ø: 7.2-7.6cm H: 14cm
ABS - Acrylic
White Matt / **Code E308**
Black Matt / **Code E309**







Bulb 1x GU10
Power 35W MAX
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 8.5cm W: 8.5cm H: 10cm
Material Aluminium - Glass
Color Graphite / **Code E269**
Color Sandy White / **Code E270**






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2041Lm
Cri 80
IP 65
Dimensions Ø: 27cm H: 7.5cm
Material Aluminium - PC Diffuser
Special Feature Driver Included
Color Sandy White / **Code E326**
Color Graphite / **Code E327**






INGROUND | p.200-213



Asymmetric

Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 15cm H: 11.5cm
Beam Angle 45°
Material Stainless Steel - Tempered Glass
Depth Required 11.5cm
Recessed Mounting Box Included
Special Feature Asymmetric
50cm Cable Available
Driver Included


Color Stainless Steel / **Code E363**




Asymmetric


Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 13cm H: 14cm
Beam Angle 45°
Material Stainless Steel - Tempered Glass
Depth Required 15cm
Recessed Mounting Box Included
Special Feature Asymmetric
50cm Cable Available
Driver Included

Color Stainless Steel / **Code E362**






Power	0.2W
Input	24V
Color Temperature	3000K
Lumen	23Lm
Cri	80
IP	68
IK	10
Dimensions	Ø: 1.5cm H: 3.5cm
Beam Angle	45°
Material	Stainless Steel - Tempered Glass
Depth Required	11 : 5cm
Special Feature	50cm Cable Available
Recommended Driver	D-20-24 (Not Included)
Color	Stainless Steel / Code E364




Power	2x 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	600Lm
Cri	80
IP	67
IK	10
Dimensions	Ø: 20cm H: 4.2cm
Material	Aluminium
Special Feature	Surface Ground Driver Included
Color	Grey / Code Z69058-B




Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
IP	67
IK	10
Dimensions	Ø: 20cm H: 4.2cm
Material	Aluminium
Special Feature	Surface Ground Driver Included
Color	Grey / Code Z69058-A







Power 3W
Input 24V
Color Temperature 3000K
Lumen 232Lm
Cri 80
IP 65
IK 8
Dimensions Ø: 4.5cm H: 9.3cm
Material Aluminium - Stainless Steel - PC Diffuser
Depth Required 12cm
Recessed Mounting Box Included
Recommended Driver D-20-24 (Not Included)
Color Aluminium / **Code E178**




Power 3W
Input 24V
Color Temperature 3000K
Lumen 150Lm
Cri 80
IP 65
IK 10
Dimensions Ø: 4.8cm H: 10cm
Material Aluminium - Stainless Steel - PC Diffuser
Depth Required 13cm
Recessed Mounting Box Included
Recommended Driver D-20-24 (Not Included)
Color Aluminium / **Code E180**




Power 3W
Input 24V
Color Temperature 3000K
Lumen 95Lm
Cri 80
IP 65
IK 10
Dimensions Ø: 4.8cm H: 10cm
Material Aluminium - Stainless Steel - PC Diffuser
Depth Required 13cm
Recessed Mounting Box Included
Recommended Driver D-20-24 (Not Included)
Color Aluminium / **Code E179**





Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 18cm H: 16cm
Beam Angle 45°
Material Stainless Steel - Tempered Glass
Depth Required 11 : 17cm
Recessed Mounting Box Included
Special Feature Externally Adjustable Light on the frame
50cm Cable Available
Driver Included


Color Stainless Steel / **Code E361**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 13cm H: 14cm
Beam Angle 45°
Material Stainless Steel - Tempered Glass
Depth Required 11 : 15cm
Recessed Mounting Box Included
Special Feature Internal Adjustable Light
50cm Cable Available
Driver Included

Color Stainless Steel / **Code E360**







Bulb 1x GU10 LED
Power 10W MAX
Input 220-240V, 50/60Hz
IP 65
IK 8
Dimensions Ø: 10cm H: 10cm
Material Stainless Steel - Tempered Glass
Depth Required 11cm
Recessed Mounting Box Included
Special Feature 50cm Cable Available
GU10 Lampholder Included
Color Stainless Steel / **Code E359**





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 618Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 10cm H: 9.5cm
Beam Angle 36°
Material Stainless Steel - Tempered Glass
Depth Required 12cm
Recessed Mounting Box Included
Special Feature Driver Included
Color Stainless Steel / **Code E189**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 67
IK 10
Dimensions L: 50cm W: 9.2cm H: 9cm
Beam Angle 45°
Material Aluminium - Stainless Steel - Tempered Glass
Depth Required 11cm
Recessed Mounting Box Included
Special Feature 50cm Cable Available
Driver Included

Color Stainless Steel / **Code E366**



Adjustable



Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 67
IK 10
Dimensions L: 33cm W: 10.5cm H: 12.5cm
Beam Angle 45°
Material Aluminium - Stainless Steel - Tempered Glass
Depth Required 14.5cm
Recessed Mounting Box Included
Special Feature Externally Adjustable Light on the frame
50cm Cable Available
Driver Included

Color Stainless Steel / **Code E365**



WALL WASHER | p.214-219

OUTDOOR LIGHTING | WALL WASHER

Wall Washers RGB - RGBW 12W



Code	IP	Kelvin	CRI	Watt	Lumen
E380	66	RGB	80	12W	MAX 280
E381	66	RGBW 4000	80	12W	MAX 480



Dimming Options

1. DALI Dimming : Element Driver 24V Up to 240W+OTi DALI DIM 1-4CH
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App)

Power	12x 1W
Input	24V
Cri	80
IP	66
Dimensions	L: 100cm W: 3.3cm H: 2.6cm
Beam Angle	60° x 10°
Material	Aluminium
Special Feature	Honeycomb Included Driver Not Included Connect 6pcs MAX
Color	Grey

Wall Washer RGB - RGBW 24W



Code	IP	Kelvin	CRI	Watt	Lumen
E378	66	RGB	80	24W	MAX 560
E379	66	RGBW 4000	80	24W	MAX 960



Dimming Options

1. DALI Dimming : Element Driver 24V Up to 240W+OTi DALI DIM 1-4CH
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App)

Power	24x 1W
Input	24V
Cri	80
IP	66
Dimensions	L: 100cm W: 3.3cm H: 2.6cm
Beam Angle	60° x 10°
Material	Aluminium
Special Feature	Honeycomb Included Driver Not Included Connect 6pcs MAX
Color	Grey

Wall Washers Tunable White



Code	IP	Kelvin	CRI	Watt	Lumen
E382	66	2700 - 6500	80	24W	1580-1770



Dimming Options


1. DALI Dimming : Element Driver 24V Up to 240W+OTi DALI DIM 1-4CH
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App)

Power	24x 1W
Input	24V
Cri	80
IP	66
Dimensions	L: 100cm W: 3.3cm H: 2.6cm
Beam Angle	60° x 10°
Material	Aluminium
Special Feature	Honeycomb Included Driver Not Included Connect 6pcs MAX
Color	Grey

	OTi DALI DIM 1-4CH
	Input
	Output
	Dimensions
	DALI Dimming
	Material
	Special Feature
	Color
	24V
	Up to 240W
	W: 4.2cm H: 2cm L: 18cm
	○
	Plastic
	IP 20
	White / Code 4062172166010




Connectors Male & Female	
Cable	25cm
Input	24V
IP	66
Color	Black / Code CNCTR 2



Wall Washers 12W



Code	IP	Kelvin	CRI	Watt	Lumen
E376	66	3000	80	12W	MAX 850
E377	66	4000	80	12W	MAX 870



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU
- 2. 1-10 Dimming : 1-10V Driver 24V
- 3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1
- 4. ON-OFF Dimming : ON-OFF Driver 24V

Power	12x1W
Input	24V
Cri	80
IP	66
Dimensions	L: 50cm W: 3.3cm H: 2.6cm
Beam Angle	60° x 10°
Material	Aluminium
Special Feature	Honeycomb Included Driver Not Included Connect 12pcs MAX
Color	Grey

Wall Washers 24W



Code	IP	Kelvin	CRI	Watt	Lumen
E374	66	3000	80	24W	MAX 1700
E375	66	4000	80	24W	MAX 1720




Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU
- 2. 1-10 Dimming : 1-10V Driver 24V
- 3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1
- 4. ON-OFF Dimming : ON-OFF Driver 24V

Power	24x1W
Input	24V
Cri	80
IP	66
Dimensions	L: 100cm W: 3.3cm H: 2.6cm
Beam Angle	60° x 10°
Material	Aluminium
Special Feature	Honeycomb Included Driver Not Included Connect 6pcs MAX
Color	Grey



Connectors Male & Female	
Cable	25cm
Input	24V
IP	66
Color	Black / Code CNCTR 1



OUTDOOR LIGHTING | 24V DRIVERS

Power 30W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 2.7cm L: 14.5cm
Non Dimmable ☒ On-Off
ELEMENT 30/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605503**



Power 60W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 3.1cm L: 20.1cm
Non Dimmable ☒ On-Off
ELEMENT 60/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605527**



Power 120W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 3.1cm L: 26cm
Non Dimmable ☒ On-Off
ELEMENT 120/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605541**



Power 180W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4cm H: 3.1cm L: 30cm
Non Dimmable ☒ On-Off
ELEMENT 180/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605565**



Power 250W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 3.5cm H: 5cm L: 37.5cm
Non Dimmable ☒ On-Off
ELEMENT 250/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4062172333467**



Power 30W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 6.7cm H: 3cm L: 10.3cm
DALI Dimming ○ Push Button - DALI2
1 CHANNEL
Material Plastic
Special Feature IP 20
Color White / **Code 4062172329767**



Power 50W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 3.2cm H: 2.2cm L: 34.6cm
DALI Dimming ○ Push Button - DALI2
1 CHANNEL
Material Plastic
Special Feature IP 20
Color White / **Code 4062172274340**



Power 160W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5cm H: 3.5cm L: 30cm
DALI Dimming ○ Push Button - DALI2
1 CHANNEL
Material Plastic
Special Feature IP 20
Color White / **Code 4062172274388**



Power 240W
Input 220-240V, 50/60Hz
Dimensions W: 4.2cm H: 2cm L: 17.2cm
Bluetooth Dimming ○
OT BLE DIM 0-100%
Material Plastic
Special Feature IP 20
Color White / **Code 4052899557833**



Power 80W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 3.2cm H: 2.2cm L: 34.6cm
DALI Dimming ○ Push Button - DALI2
1 CHANNEL
Material Plastic
Special Feature IP 20
Color White / **Code 4062172274364**



Power 182W
Input 220-240V, 50/60Hz
Dimensions W: 4.2cm H: 2cm L: 17.2cm
DMX Dimming ○
OT DMX RGBW DIM 0-100%
Material Plastic
Special Feature IP 20
Color White / **Code 4052899557949**



Input 220-240V, 50/60Hz
Dimensions W: 5cm H: 8cm L: 8cm
DALI Dimming ○
DALI MCU Tunable White Switch
Material Plastic
Special Feature IP 20
Color White / **Code 4052899465916**



Power 100W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5cm H: 3cm L: 23cm
Dimmable Triac , 1-10 ○
Material Metal
Special Feature IP 20
Color Metal / **Code Z89100VND**




Power 200W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5cm H: 3cm L: 28.7cm
Dimmable Triac , 1-10 ○
Material Metal
Special Feature IP 20
Color Metal / **Code Z89200VND**



CNCTR 1	218	E208	66	E283	152	E341	116	4052899465916	221
CNCTR 2	216	E211	70	E284	142	E342	118	4052899557833	221
D-20-24	132	E216	112	E285	140	E343	114	4052899557949	221
V350-1050	138	E217	162	E286	140	E344	28	4052899605503	220
Z0800-BA	132	E219	194	E287	82	E345	28	4052899605527	220
Z69058-A	204	E220	194	E288	170	E346	174	4052899605541	220
Z69058-B	204	E227	99	E289	16	E347	174	4052899605565	220
Z89100VND	221	E229	180	E290	16	E348	62	4062172166010	216
Z89200VND	221	E230	181	E291	16	E349	136	4062172274340	221
E109	101	E235	74	E292	148	E350	136	4062172274364	221
E114	95	E235-12D	74	E293	149	E351	26	4062172274388	221
E121	104	E236	74	E294	179	E352	26	4062172329767	220
E122	104	E237	40	E295	56	E353	22	4062172333467	220
E123	104	E238	86	E296	122	E354	30		
E124	104	E239	86	E297	24	E355	36		
E127	102	E240	86	E298	52	E356	32		
E128	102	E241-G	178	E299	156	E357	34		
E132	58	E241-W	178	E300	170	E358	34		
E133	58	E242-G	178	E301	170	E359	210		
E135	100	E242-W	178	E302	54	E360	208		
E146	98	E243	92	E304	110	E361	208		
E149	102	E245	92	E305	110	E362	202		
E150	106	E246-G	176	E306	106	E363	202		
E151	106	E246-W	176	E307	106	E364	204		
E152	145	E247-G	176	E308	194	E365	212		
E153	144	E247-W	176	E309	194	E366	212		
E156	100	E248	185	E310	162	E367	36		
E159	101	E249	40	E311	160	E368	22		
E168	112	E250	76	E312	160	E369	10		
E177-A	146	E250-12D	76	E313	12	E370	10		
E177-B	146	E251	76	E314	12	E371	10		
E178	206	E253	46	E315	80	E372	132		
E179	206	E254	46	E316	81	E373	132		
E180	206	E256	70	E317	81	E374	218		
E181	182	E257	70	E318	94	E375	218		
E182	182	E261	98	E319	166	E376	218		
E183	182	E262	98	E320	166	E377	218		
E184	182	E263	120	E321	166	E378	216		
E185	108	E265	126	E322	168	E379	216		
E186	108	E266	126	E323	172	E380	216		
E187	184	E267	128	E324	172	E381	216		
E189	210	E268	124	E325	38	E382	216		
E190	44	E269	196	E326	198	E383	42		
E191	44	E270	196	E327	198	E384	42		
E192	44	E271	124	E328	134	E398	14		
E193	18	E272	89	E329	134	E399	14		
E194	18	E273	84	E330	134	E400	14		
E195	96	E274	88	E331	134	E401	15		
E197	90	E275	116	E332	188	E402	15		
E199	91	E276	60	E333	188	E403	138		
E201	122	E277	60	E334	48	E404	138		
E202	122	E278	85	E335	48	S112	192		
E203	50	E279	154	E336	48	S113	192		
E204	50	E280	158	E337	72	S131	190		
E205	68	E281	150	E338	64	S132	190		
E206	68	E282	150	E339	64	S133	190		
E207	66	E282-SP	150	E340	192	S134	190		



ZAMPELIS S.A.
Greece , Attica , Keratea , Kivouri
Postal: 19001 , P.O. box: 4791
Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr



ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr

